

CONCERT GENETICS ONCOLOGY: CANCER SCREENING

Reference Number: LA.CP.CG.16
Date of Last Revision 09/23

[Coding implications](#)
[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

OVERVIEW

This policy relates to genetic and biomarker tests that aim to screen for specific cancers in individuals who are at risk to develop them. These screening tests can be designed for asymptomatic individuals that are at an average risk level for cancer, or for individuals that are known to be at a higher risk to develop a specific cancer. Genetic and biomarker cancer screening tests aim to identify the presence of cancer before symptoms appear and when treatment is often most effective. These tests are not currently diagnostic for cancer, but typically determine if an individual has an increased chance that cancer is present.

Screening tests for colorectal cancer may be performed by analyzing specific DNA present in fecal matter or peripheral blood. Cancer screening tests may also be performed on urine samples to screen for bladder cancer and colon polyps. These methods offer a noninvasive alternative to currently available screening approaches such as colonoscopy.

Screening tests for lung cancer are potentially useful adjuncts to the [low-dose CT \(LDCT\)](#), a recommended lung cancer screening tool in high-risk populations. Biomarkers such as autoantibodies, metabolites, proteins, and [microRNA](#) may be sampled from many different bodily sources, including whole blood, serum, plasma, bronchial brushings, and sputum. Circulating blood-based and serum based biomarkers are a convenient compartment to sample as they are relatively easy and inexpensive to collect.

POLICY REFERENCE TABLE

Below are a list of higher volume tests and the associated laboratories for each coverage criteria section. This list is not all inclusive.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2022, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only and may not support medical necessity. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

NOTE: Coverage is subject to each requested code's inclusion on the corresponding LDH fee schedule. Non-covered codes are denoted (*) and are reviewed for Medical Necessity for members under 21 years of age on a per case basis.

Coverage Criteria Sections	Example Tests (Labs)	Common CPT Codes	Common ICD Codes	Ref
Colorectal Cancer Screening Tests				
FIT-DNA Testing (Stool DNA Testing)	Cologuard (Exact Sciences Corporation)	81528	Z12.10 through Z12.13	1, 3
Urinary Biomarker Tests for Pre-cancerous Colon Polyps	PolypDx (Metabolomic Technologies)	0002U*	Z12.10 through Z12.13	1
Blood-based Biomarker Colorectal Cancer Screening Tests	BeScreened (Beacon Biomedical)	0163U*	Z12.10 through Z12.13	1, 2, 4, 9
	FirstSightCRC (CellMax Life)	0091U*		
	ColonSentry (StageZero Life Sciences)	81599*		
	Epi proColon (Epigenomics)	81327*, G0327*		
	ColoVantage (Quest Diagnostics)			
	ColoScape Colorectal Cancer Detection (DiaCarta Clinical Lab)	0368U*		
Lung Cancer Screening Tests				
Blood-based Biomarker Lung Cancer Screening Tests	EarlyCDT-Lung (Oncimmune)	83520	Z12.2	5, 6, 7, 8

OTHER RELATED POLICIES

This policy document provides coverage criteria for cancer screening tests. Please refer to:

- ***Oncology: Molecular Analysis of Solid Tumors and Hematologic Malignancies*** for criteria related to DNA testing of a solid tumor or a blood cancer.
- ***Genetic Testing: Hereditary Cancer Susceptibility Syndromes LA.CP.MP. 225c*** for criteria related to genetic testing to determine if an individual has an inherited cancer susceptibility syndrome.
- ***Oncology: Algorithmic Testing*** for criteria related to gene expression profiling and tumor multianalyte assays with algorithmic analyses.
- ***Oncology: Circulating Tumor DNA and Circulating Tumor Cells (Liquid Biopsy)*** for criteria related to circulating tumor DNA (ctDNA) or circulating tumor cell testing performed on peripheral blood for cancer diagnosis, management and surveillance.
- ***Genetic Testing: General Approach to Genetic Testing*** for coverage criteria related to cancer screening that is not specifically discussed in this or another non-general policy.

CRITERIA

It is the policy of Louisiana Healthcare Connections that the specific genetic testing noted below is **medically necessary** when meeting the related criteria:

COLORECTAL CANCER SCREENING TESTS

FIT-DNA Testing (Stool DNA Testing)

- I. The use of [FIT-DNA Testing](#) (stool DNA testing) (81528) to screen for colorectal cancer may be considered **medically necessary** when:
 - A. The member/enrollee is 45 years of age or older, **AND**
 - B. The member/enrollee is an individual who is at average risk for colorectal cancer, because the member/enrollee does not have any of the following:
 1. A personal history of colorectal cancer or adenoma or sessile serrated polyp, **OR**
 2. A family history of colorectal cancer in close relatives, **OR**

3. A personal history of inflammatory bowel disease (ulcerative colitis or Crohn's disease), **OR**
4. A personal history of cystic fibrosis, **OR**
5. A confirmed or suspected hereditary colorectal cancer syndrome, such as familial adenomatous polyposis (FAP) or Lynch syndrome (hereditary non-polyposis colon cancer or HNPCC), **OR**
6. A personal history of receiving radiation to the abdomen (belly) or pelvic area to treat a prior cancer.

II. The use of [FIT-DNA](#) Testing (stool DNA testing) (81528) to screen for colorectal cancer is considered **investigational** for all other indications.

Note: Fecal immunochemical testing (FIT) alone is not in the scope of this policy (see [definitions](#))

[back to top](#)

Urinary Biomarker Tests for Pre-cancerous Polyps

- I. The use of urinary biomarker tests for pre-cancerous polyps (0002U*) is considered **investigational**.

[back to top](#)

Blood-based Biomarker Colorectal Cancer Screening Tests

- I. The use of blood-based biomarkers to screen for colorectal cancer (0091U*, 0163U*, 0368U*, 81327*, 81599*) is considered **investigational**.

[back to top](#)

LUNG CANCER SCREENING TESTS

Blood-based Biomarker Lung Cancer Screening Tests

- I. The use of blood-based biomarker tests (83520) for lung cancer screening are considered **investigational**.

[back to top](#)

NOTES AND DEFINITIONS

Fecal immunohistochemical testing (FIT) is a screening test for colon cancer that detects human blood in the lower intestines. (FIT testing alone does not involve any genetic test and is outside of the scope of this policy).

FIT-DNA test combines fecal immunochemical (FIT), which uses antibodies to detect blood in the stool, with a test that detects abnormal DNA from cancer or polyp cells in the stool.

Low-dose computed tomography (LDCT) has been proposed as a method of screening asymptomatic, high risk individuals for lung cancer; it refers to a non contrast study with a multi-detector CT scanner during a single maximal inspiratory breath-hold with a scanning time of under 25 seconds. It has been suggested that LDCT may be an improved early lung cancer detection tool based on the advantages it appears to have over CXR and sputum cytology to detect lung cancer at an earlier stage.

MicroRNAs (miRNAs) are tissue specific, small, non-coding RNAs regulating gene expression which may identify candidates for early detection of lung cancer.

[back to top](#)

CLINICAL CONSIDERATIONS

Screening tests are not diagnostic tests. The results from a screening test put an individual into a lower risk or higher risk status. For an individual that is put into the higher risk status, following up with an appropriate diagnostic test would be necessary to make a definitive diagnosis of cancer.

For lung cancer, approaches where a biomarker based initial screen is followed by [low-dose computed tomography \(LDCT\)](#) or in which a biomarker test is combined with LDCT show promise for use in early detection. However, more high quality evidence is needed to support and guide the implementation of these tests.

[back to top](#)

BACKGROUND AND RATIONALE

Colon Cancer Screening Tests - FIT-DNA Testing (Stool DNA Testing)

National Comprehensive Cancer Network (NCCN)

Current NCCN guidelines on colorectal cancer screening (3.2022) support the use of FIT-DNA in average-risk individuals aged 45 to 75 who might have a life expectancy greater than or equal to 10 years, and notes that the decision to screen individuals aged 76 to 85 should be individualized.

Current NCCN guidelines (3.2022) do not include a recommendation for colorectal cancer screening via blood-based or urine-based screening.

US Food and Drug Administration (FDA)

Cologuard (Exact Sciences):

On August 12, 2014, Cologuard (Exact Sciences) was approved by the U.S. Food and Drug Administration (FDA) through the premarket approval process as an automated fecal DNA testing product (P130017). Cologuard is intended for the qualitative detection of colorectal neoplasia associated with DNA markers and occult hemoglobin in human stool. A positive result may indicate the presence of CRC or advanced adenoma and should be followed by diagnostic colonoscopy. (p. 1)

On September 20, 2019, the FDA approved the expansion of the Cologuard label to include adults ages 45 years or older. Cologuard was previously indicated for those aged 50 years or older. Cologuard is not a replacement for diagnostic colonoscopy or surveillance colonoscopy in high-risk individuals.

Colorectal Cancer Screening Tests - Urinary Biomarker Tests for Pre-cancerous Colon Polyps

National Comprehensive Cancer Network (NCCN)

Current NCCN guidelines on colon cancer screening (3.2022) do not include a recommendation for colorectal cancer screening via blood-based or urine-based screening.

Colorectal Cancer Screening Tests - Blood-based Biomarker Colorectal Cancer Screening Tests

Concert Genetics Technical Assessment 2021

This review focused on peer-reviewed, published evidence of the clinical utility of BeScreened, FirstSight CRC, ColonSentry, Epi ProColon, and Colovantage through October 2021. PubMed and ECRI Guidelines Trust searches were performed. Search terms included BeScreened, FirstSight CRC, ColonSentry, Epi ProColon, Colovantage, colon cancer screen, circulating tumor cells, Cripto, ANXA3, CLEC4D, LMNB1, PRRG4, TNFAIP6, VNN1, SEPT9. References were also identified from the performing laboratory's website. A total of 60 abstracts from these sources were reviewed, and 17 full text publications were evaluated. At the present time, BeScreened, FirstSight CRC, ColonSentry, Epi ProColon, and Colovantage have not been adequately shown in peer-reviewed publications to effectively result in improved health outcomes compared to the current standard of care.

Lung Cancer Screening Tests - Blood-based Biomarker Lung Cancer Screening Tests

National Comprehensive Cancer Network (NCCN)

Current NCCN guidelines on lung cancer screening (1.2023) do not include a recommendation for lung cancer screening via blood-based or micro-RNA based screening. Current NCCN guidelines support lung cancer screening using LDCT for individuals with high risk factors.

[back to top](#)

Reviews, Revisions, and Approvals	Revision Date	Approval Date
Converted corporate to local policy.	09/23	11/27/23

REFERENCES

1. National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology: Colorectal Cancer Screening. Version 3.2022. https://www.nccn.org/professionals/physician_gls/pdf/colorectal_screening.pdf
2. US Preventive Services Task Force, Davidson KW, Barry MJ, et al. Screening for Colorectal Cancer: US Preventive Services Task Force Recommendation Statement. *JAMA*. 2021;325(19):1965-1977. doi:10.1001/jama.2021.6238
3. Summary of Safety and Effectiveness Data (SSED): Cologuard™. U.S. Food & Drug Administration website. Available at: https://www.accessdata.fda.gov/cdrh_docs/pdf13/P130017B.pdf.
4. Summary of Safety and Effectiveness Data (SSED): Epi proColon®. U.S. Food & Drug Administration website. Available at: https://www.accessdata.fda.gov/cdrh_docs/pdf13/P130001B.pdf.
5. National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology for Lung Cancer Screening. Version 1.2023. https://www.nccn.org/professionals/physician_gls/pdf/lung_screening.pdf
6. Chu GC, Lazare K, and Sullivan F. Serum and blood based biomarkers for lung cancer screening: a systematic review. *BMC Cancer*. 2018; 181(18). doi:10.1186/s12885-018-4024-3
7. U.S. Preventive Services Task Force. Screening for lung cancer: U.S. Preventive Services Task Force recommendation statement. *JAMA*. 2021;325(10):962-970. doi:10.1001/jama.2021.1117
8. Hanash SM, Ostrin EJ, Fahrman JF. Blood based biomarkers beyond genomics for lung cancer screening. *Transl Lung Cancer Res*. 2018;7(3):327-335. doi:10.21037/tlcr.2018.05.13
9. Concert Genetics. Technology Assessment Summary of Blood Based Biomarkers for Colorectal Cancer. 2021.

[back to top](#)

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

©2023 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademarks exclusively owned by Louisiana Healthcare Connections.