

### Clinical Policy: Evoked Potential Testing

Reference Number: LA.CP.MP.134

Date of Last Revision: 10/23

Coding Implications
Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information

#### **Description**

Types of evoked potentials include somatosensory, brainstem auditory, visual and motor. Sensory evoked potentials evaluate electrical activity in the nervous system in response to stimulation of specific nerve pathways. Monitoring of neurophysiologic evoked potentials intraoperatively helps prevent neurologic injury during neurological, orthopedic, and other types of surgeries. This policy describes the medically necessary indications for neurophysiologic evoked potentials.

#### Policy/Criteria

- **I.** It is the policy of Louisiana Healthcare Connections that evoked potential testing is **medically necessary** for the following indications:
  - A. Somatosensory Evoked Potentials Testing
    - 1. Aid in the evaluation of prognosis of acute anoxic encephalopathy, within the initial 72 hours of onset (e.g. after cardiac arrest);
    - 2. Assessment of a decline in status which may warrant emergent surgery in unconscious spinal cord injury patients who show specific structural damage to the somatosensory system, and who are candidates for emergency spinal cord surgery;
    - 3. Aid in the diagnosis of multiple sclerosis;
    - 4. Aid in the assessment of coma following traumatic, hypoxic-ischemic, and other diffuse brain injuries;
    - 5. Assessment of central nervous system deficiency identified on clinical exam when not explained by appropriate imaging studies;
    - 6. Management of conditions causing spinocerebellar degeneration, such as Fredreich's ataxia or peripheral nerve degeneration (e.g. diabetic neuropathy);
    - 7. Intraoperative monitoring during surgeries that may affect neural structures;

#### B. Brainstem Auditory Evoked Potential Testing

- 1. Assessment of brainstem function such as during tumor infiltration of the brainstem and after a lesion has been surgically removed;
- 2. Diagnosis and monitoring of demyelinating and degenerative diseases affecting the brain stem such as multiple sclerosis, central pontine myelinolysis, and olivopontocerebellar degeneration;
- 3. Diagnosis of lesions in the auditory system (e.g., acoustic neuroma);
- 4. Aid in the evaluation of prognosis in coma within the initial 72 hours of onset, excluding evaluation of brain death;
- 5. Screening for hearing loss of infants and preverbal children or children with developmental delay or intellectual disability;
- 6. Intraoperative monitoring during surgeries that may affect neural structures;

#### C. Visual Evoked Potential Testing



- 1. Diagnosis and monitoring of optic nerve function and/or during demyelinating disorders of the optic nerve (e.g., multiple sclerosis, optic neuritis);
- 2. Assessment of suspected disorder of the optic nerve, optic chiasm or pre-optic chiasmic radiations (visual evoked potentials are not useful for post-chiasmic disease);
- 3. Evaluation of visual loss in those unable to communicate.
- II. It is the policy of Louisiana Healthcare Connections that somatosensory evoked potentials, motor evoked potentials using transcranial electrical stimulation, and brainstem auditory evoked potentials are medically necessary during intracranial, orthopedic, spinal, and vascular surgeries.
- **III.** It is the policy of Louisiana Healthcare Connections that there is insufficient evidence in the published peer-reviewed literature to support evoked potential testing for the following indications:
  - A. Intraoperative monitoring of visual evoked potentials;
  - B. Motor evoked potentials from transcranial magnetic stimulation.
- **IV.** It is the policy of Louisiana Healthcare Connections that evoked potential testing is **not medically necessary** for the following indications:
  - A. Motor evoked potentials for non-operative monitoring;
  - B. Visual evoked potentials, any of the following:
    - 1. Glaucoma or glaucoma suspect;
    - 2. Amblyopia;
    - 3. Diabetes;
  - C. For the evaluation/assessment of all other conditions than those specified above.

#### **Background**

Sensory evoked potentials provide electrical recordings of afferent and efferent networks within the central and peripheral nervous systems in response to specific stimulation. These sophisticated tests facilitate the diagnosis nerve damage or locate the specific site of nerve damage. There are several types of evoked potentials, including, sensory evoked potentials and motor evoked potentials. Examples of sensory evoked potentials include somatosensory, brainstem auditory, and visual evoked potentials. Somatosensory evoked potentials generate sensory information from peripheral nerve stimulation. Brainstem auditory evoked potentials are created in response to aural cues and are evaluated at the brainstem and posterior fossa. Visual evoked potentials provide information regarding conduction within the visual pathway, including the retino-striate conduction time. Motor evoked potentials are elicited by electrical or magnetic stimulation of the motor cortex or spinal cord.

Intraoperative monitoring of neurophysiologic responses involves the electrophysiologic measurement of myogenic and neural responses during the course of surgeries. These measurements and testing are in response to controlled and modality specific stimulation. According to the American Speech Langue Hearing Association's Position Statement on Intraoperative Monitoring, the primary objectives of intraoperative monitoring include: (1) to avoid intraoperative injury to neural structures; (2) to facilitate specific stages of the surgical



procedure; (3) to reduce the risk of permanent postoperative neurological injury; and (4) to assist the surgeon in identifying specific neural structures.<sup>2</sup>

The American Academy of Neurology published an assessment of intraoperative neurophysiologic monitoring with an evidence-based guideline update in 2012.<sup>3</sup> This guideline specifically addressed whether spinal cord intraoperative monitoring with somatosensory and motor evoked potentials predict adverse surgical outcomes. All studies that met inclusion criteria were consistent in showing all of the occurrences of paraparesis, paraplegia, and quadriplegia in the intraoperative monitoring of patients with evoked potential changes, and showed no occurrences of paraparesis, paraplegia, and quadriplegia in patients without evoked potential changes.<sup>3</sup> Thus, intraoperative neurophysiologic monitoring provides operating teams with information regarding increased risk of severe adverse neurologic outcomes. Furthermore, the American Society of Clinical Neurophysiology has published specific guidelines on an array of specifications, including the amplifier, safety, filtering, calibration, replication, and interpretation of results.<sup>4</sup>

#### **Coding Implications**

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2022, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

NOTE: Coverage is subject to each requested code's inclusion on the corresponding LDH fee schedule. Non-covered codes are denoted (\*) and are reviewed for Medical Necessity for members/enrollees under 21 years of age on a per case basis.

CPT® Codes	Description
92652	Auditory evoked potentials; for threshold estimation at multiple
	frequencies, with interpretation and report
92653	Auditory evoked potentials; neurodiagnostic, with interpretation and
	report
95925	Short–latency somatosensory evoked potential study, stimulation of
	any/all peripheral nerves or skin sites, recording from the central
	nervous system; in upper limbs
95926	Short–latency somatosensory evoked potential study, stimulation of
	any/all peripheral nerves or skin sites, recording from the central
	nervous system; in lower limbs
95927	Short–latency somatosensory evoked potential study, stimulation of
	any/all peripheral nerves or skin sites, recording from the central
	nervous system; in the trunk or head
95928	Central motor evoked potential study (transcranial motor stimulation);
	upper limbs



CPT® Codes	Description	
95929	Central motor evoked potential study (transcranial motor stimulation	
	lower limbs	
95930	Visual evoked potential (VEP) checkerboard or flash testing, central	
	nervous system except glaucoma, with interpretation and report	
95938	Short–latency somatosensory evoked potential study, stimulation of	
	any/all peripheral nerves or skin sites, recording from the central	
	nervous system; in upper and lower limbs	
95939	Central motor evoked potential study (transcranial motor stimulation);	
	in upper and lower limbs	
0333T*	Visual evoked potential, screening of visual acuity, automated, with	
	report	

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

ICD-10-CM Diagnosis Codes that Support Coverage Criteria			
ICD-10-CM Code	Description		
A17.0 through	Tuberculosis of nervous system		
A17.89			
A39.82	Meningococcal retrobulbar neuritis		
C30.1	Malignant neoplasm of middle ear		
C41.0	Malignant neoplasm of bones of skull and face		
C41.2	Malignant neoplasm of vertebral column		
C70.0 through C70.9	Malignant neoplasm of meninges		
C71.0 through C71.9	Malignant neoplasm of brain		
C72.0 through C72.9	Malignant neoplasm of spinal cord, cranial nerves and other parts of		
	the central nervous system		
C79.31 through	Secondary malignant neoplasm of brain and cerebral meninges		
C79.32			
C79.49	Secondary malignant neoplasm of other parts of nervous system		
D02.3	Carcinoma in situ of other parts of respiratory system		
D14.0	Benign neoplasm of middle ear, nasal cavity and accessory sinuses		
D16.6	Benign neoplasm of vertebral column		
D18.02	Hemangioma of intracranial structures		
D32.0 through D32.9	Benign neoplasm of meninges		
D33.0 through D33.9	Benign neoplasm of brain and other parts of central nervous system		
D38.5	Neoplasm of uncertain behavior of other respiratory organs		
D42.0 through D42.9	Neoplasm of uncertain behavior of meninges		
D43.0 through D43.9	Neoplasm of uncertain behavior of brain and central nervous system		
D44.3	Neoplasm of uncertain behavior of pituitary gland		
D44.4	Neoplasm of uncertain behavior of craniopharyngeal duct		
D44.5	Neoplasm of uncertain behavior of pineal gland		
D49.1	Neoplasm of unspecified behavior of respiratory system		
D49.6	Neoplasm of unspecified behavior of brain		
E08.40	Diabetes mellitus due to underlying condition with diabetic		
	neuropathy, unspecified		



ICD-10-CM Code	Description	
E08.41	Diabetes mellitus due to underlying condition with diabetic	
	mononeuropathy	
E08.42	Diabetes mellitus due to underlying condition with diabetic	
	polyneuropathy	
E08.43	Diabetes mellitus due to underlying condition with diabetic autonomic	
	(poly)neuropathy	
E08.44	Diabetes mellitus due to underlying condition with diabetic	
	amyotrophy	
E08.49	Diabetes mellitus due to underlying condition with other diabetic	
	neurological complication	
E71.520	Childhood cerebral X-linked adrenoleukodystrophy	
E71.521	Adolescent X-linked adrenoleukodystrophy	
E71.522	Adrenomyeloneuropathy	
E71.528	Other X-linked adrenoleukodystrophy	
E71.529	X-linked adrenoleukodystrophy, unspecified type	
G06.0 through G06.2	Intracranial and intraspinal abscess and granuloma	
G11.10	Early-onset cerebellar ataxia, unspecified	
G11.11	Friedreich ataxia	
G11.19	Other early-onset cerebellar ataxia	
G23.0	Hallervorden-Spatz disease	
G23.1	Progressive supranuclear ophthalmoplegia (Steele-Richardson-	
	Olszewski)	
G23.2	Striatonigral degeneration	
G23.8	Other specified degenerative diseases of basal ganglia	
G31.89	Other specified degenerative diseases of nervous system	
G31.9	Degenerative disease of nervous system, unspecified	
G35	Multiple sclerosis	
G36.0 through G36.9	Other acute disseminated demyelination	
G37.0 through G37.9	Other demyelinating diseases of central nervous system	
G50.0 through G50.9	Disorders of trigeminal nerve	
G52.0 through G52.9	Disorders of other cranial nerves	
G54.0	Brachial plexus disorders	
G54.1	Lumbosacral plexus disorders	
G54.2	Cervical root disorders, not elsewhere classified	
G54.3	Thoracic root disorders, not elsewhere classified	
G54.4	Lumbosacral root disorders, not elsewhere classified	
G90.3	Multi-system degeneration of the autonomic nervous system	
G90.8	Other disorders of autonomic nervous system	
G90.9	Disorder of the autonomic nervous system, unspecified	
G93.0	Cerebral cysts	
G93.1	Anoxic brain damage, not elsewhere classified	
G93.5	Compression of the brain	
G95.9	Disease of spinal cord, unspecified	
G96.89	Other specified disorders of central nervous system	



ICD-10-CM Code	Description		
H35.54	Dystrophies primarily involving the retinal pigment epithelium		
H46.0 through H46.9	Optic neuritis		
H47.011 through	Other disorders of optic [2 <sup>nd</sup> ] nerve and visual pathways		
H47.649			
H53.001 through	Visual disturbances		
H53.9			
H54.3	Unqualified visual loss, both eyes		
H54.60 through	Unqualified visual loss, one eye		
H54.62			
H81.01 through	Meniere's disease		
H81.09			
H81.391 through	Other peripheral vertigo		
H81.399			
H81.4	Vertigo of central origin		
H90.0 through	Conductive and sensorineural hearing loss		
H90.72			
H91.01 through	Other and unspecified hearing loss		
H91.93			
H93.3x1 through	Disorders of acoustic nerve		
H93.3x9			
I60.00 through I60.8	Nontraumatic subarachnoid hemorrhage		
I61.0 through I61.8	Nontraumatic intracerebral hemorrhage		
I62.00 through I62.1	Other and unspecified nontraumatic intracranial hemorrhage		
I63.00 through I63.9	Cerebral infarction		
I65.01 through I65.9	Occlusion and stenosis of precerebral arteries, not resulting in cerebral		
	infarction		
I66.01 through I66.9	Occlusion and stenosis of cerebral arteries, not resulting in cerebral		
	infarction		
I67.0 through I67.7	Other cerebrovascular diseases		
I71.00 through I71.9	Aortic aneurysm and dissection		
I72.0	Aneurysm of carotid artery		
I77.71	Dissection of carotid artery		
I77.74	Dissection of vertebral artery		
M40.00 through	Kyphosis and lordosis		
M40.57			
M41.00 through	Scoliosis		
M41.9			
M43.00 through	Spondylolysis		
M43.09			
M43.10 through	Spondylolisthesis		
M43.19			
M47.011 through	Spondylosis		
M47.9			



ICD-10-CM Code	Description		
M48.00 through	Spinal stenosis		
M48.08			
M50.00 through	Cervical disc disorders		
M50.93			
M51.04 through	Thoracic, thoracolumbar, and lumbosacral intervertebral disc disorders		
M51.9			
P10.0 through P10.9	Intracranial laceration and hemorrhage due to birth injury		
P11.0 through P11.9	Other birth injuries to central nervous system		
P14.0 through P14.9	Birth injury to peripheral nervous system		
Q01.0-Q01.9	Encephalocele		
Q04.0 through Q04.9	Other congenital malformations of brain		
Q05.0 through Q05.9	Spina bifida		
Q07.00 through	Arnold –Chiari syndrome		
007.03			
Q28.0 through Q28.9	Other congenital malformations of circulatory systems		
076.2	Congenital spondylolisthesis		
Q85.00 through	Neurofibromatosis (nonmalignant)		
Q85.09	Trouvers (nemming.min)		
R40.20 through	Unspecified coma		
R40.2444			
R44.1	Visual hallucinations		
R48.3	Visual agnosia		
R94.110 through	Abnormal results of function studies of peripheral nervous system and		
R94.138	special senses		
S02.0XX through	Fracture of skull and facial bones		
S02.42X (add 7 <sup>th</sup>			
digit A through S)			
S04.011 through	Injury of cranial nerve		
S04.9XX (add 7th			
digit A through S)			
S06.0X0 through	Intracranial injury		
S06.899 (add 7th			
digit A through S)			
S07.0XX through	Crushing injury of head		
S07.9XX (add 7th			
digit A through S)			
S12.000 through	Fracture of cervical vertebrae and other parts of neck		
S12.9XX (add 7th			
digit A through S)			
S14.0XX through	Injury of nerves and spinal cord at neck level		
S14.9XX (add 7th			
digit A through S)			
S22.000 through	Fracture of thoracic vertebrae		
S22.089 (add 7th			
digit A through S)			



ICD-10-CM Code	Description
S24.101 through	Other and unspecified injuries of thoracic spinal cord
S24.9XX(add 7th	
digit A through S)	
S34.01X through	Injury of lumbar and sacral spinal cord and nerves at abdomen, lower
S34.9XX (add 7th	back and pelvis level
digit A through S)	
Z01.110	Encounter for hearing examination following failed hearing screening
Z08	Encounter for follow-up examination after completed treatment for
	malignant neoplasm
Z87.710 through	Personal history of (corrected) congenital malformations
Z87.798	

Reviews, Revisions, and Approvals		Approva l Date
Converted corporate to local policy.		
CPT code 92585 deleted 1/1/21. Added replacement CPT codes 92652 and 92653. "Experimental/investigational" verbiage replaced with descriptive language in in policy statement III.  Minor typo corrections. Changed "review date" in the header to "date of last revision" and "date" in the revision log header to "revision date." References reviewed, updated, and reformatted. Coding reviewed and updated. Removed intraoperative CPT codes 95940, 95941, and HCPCS code G0453.  Added "and my not support medical necessity" to coding implications.		4/22
Annual review. References reviewed and updated. Specialist reviewed.	10/22	1/14/23
Added new 2023 ICD-10 codes to S06 code range.  Added "NOTE: Coverage is subject to each requested code's inclusion on the corresponding LDH fee schedule. Non-covered codes are denoted (*) and are reviewed for Medical Necessity for members/enrollees under 21 years of age on a per case basis."  Added * to CPT 0333T and to Visual Evoked Potential Testing in the Policy section.	5/23	7/21/23
Annual review. References reviewed and updated. Reviewed by external specialist		1/5/24

#### References

- 1. Walsh P, Kane N, Butler S. The clinical role of evoked potentials. *J Neurol Neurosurg Psychiatry*. 2005;76 Suppl 2(Suppl 2):ii16 to ii22. doi:10.1136/jnnp.2005.068130
- 2. American Speech-Language-Hearing Association. Neurophysiologic intraoperative monitoring [Position Statement]. <a href="https://www.asha.org/policy/ps1992-00036/">https://www.asha.org/policy/ps1992-00036/</a>. Published 1992. Accessed August 16, 2023.
- 3. Nuwer MR, Emerson RG, Galloway G, et al. Evidence-based guideline update: intraoperative spinal monitoring with somatosensory and transcranial electrical motor evoked potentials:



- report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and the American Clinical Neurophysiology Society. *Neurology*. 2012;78(8):585 to 589. doi:10.1212/WNL.0b013e318247fa0e
- 4. American Clinical Neurophysiology Society. Guideline 9A: Guidelines on evoked potentials. *J Clin Neurophysiol*. 2006;23(2):125 to 137. doi:10.1097/00004691-200604000-00010
- 5. Legatt AD, Emerson RG, Epstein CM, et al. ACNS Guideline: Transcranial Electrical Stimulation Motor Evoked Potential Monitoring. *J Clin Neurophysiol*. 2016;33(1):42 to 50. doi:10.1097/WNP.0000000000000253
- 6. Holdefer RN, MacDonald DB, Skinner SA. Somatosensory and motor evoked potentials as biomarkers for post-operative neurological status. *Clin Neurophysiol*. 2015;126(5):857 to 865. doi:10.1016/j.clinph.2014.11.009
- 7. Local coverage determination: Neurophysiology Evoked Potentials (NEPs) (L34975). Centers for Medicare and Medicaid Services Web site. <a href="http://www.cms.hhs.gov/mcd/search.asp">http://www.cms.hhs.gov/mcd/search.asp</a>. Published October 1, 2015 (revised October 17, 2019.) Accessed August 21, 2023.

#### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to



recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

©2023 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademarks exclusively owned by Louisiana Healthcare Connections.