

# Clinical Policy: Evoked Potential Testing

Reference Number: LA.CP.MP.134

Date of Last Revision: 12/24

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information

## Description

Types of evoked potentials include somatosensory, brainstem auditory, visual and motor. Sensory evoked potentials evaluate electrical activity in the nervous system in response to stimulation of specific nerve pathways. Monitoring of neurophysiologic evoked potentials intraoperatively helps prevent neurologic injury during neurological, orthopedic, and other types of surgeries. This policy describes the medically necessary indications for neurophysiologic evoked potentials.

## Policy/Criteria

- I. It is the policy of Louisiana Healthcare Connections that evoked potential testing is **medically necessary** for the following indications:
  - A. Somatosensory Evoked Potentials Testing
    1. Aid in the evaluation of prognosis of acute anoxic encephalopathy, within the initial 72 hours of onset (e.g. after cardiac arrest);
    2. Assessment of a decline in status which may warrant emergent surgery in unconscious spinal cord injury patients who show specific structural damage to the somatosensory system, and who are candidates for emergency spinal cord surgery;
    3. Aid in the diagnosis of multiple sclerosis;
    4. Aid in the assessment of coma following traumatic, hypoxic-ischemic, and other diffuse brain injuries;
    5. Assessment of central nervous system deficiency identified on clinical exam when not explained by appropriate imaging studies;
    6. Management of conditions causing spinocerebellar degeneration, such as Friedreich's ataxia or peripheral nerve degeneration (e.g. diabetic neuropathy);
    7. Intraoperative monitoring during surgeries that may affect neural structures;
  - B. Brainstem Auditory Evoked Potential Testing
    1. Assessment of brainstem function (e.g. during tumor infiltration of the brainstem and after a lesion has been surgically removed);
    2. Diagnosis and monitoring of demyelinating and degenerative diseases affecting the brain stem such as multiple sclerosis, central pontine myelinolysis, and olivopontocerebellar degeneration;
    3. Diagnosis of lesions in the auditory system (e.g., acoustic neuroma);
    4. Aid in the evaluation of prognosis in coma within the initial 72 hours of onset, excluding evaluation of brain death;
    5. Screening for hearing loss of infants and preverbal children or children with developmental delay or intellectual disability;
    6. Intraoperative monitoring during surgeries that may affect neural structures;
  - C. Visual Evoked Potential Testing

1. Diagnosis and monitoring of optic nerve function and/or during demyelinating disorders of the optic nerve (e.g., multiple sclerosis, optic neuritis);
2. Assessment of suspected disorder of the optic nerve, optic chiasm or pre-optic chiasmic radiations (visual evoked potentials are not useful for post-chiasmic disease);
3. Evaluation of visual loss in those unable to communicate.

**II.** It is the policy of Louisiana Healthcare Connections that somatosensory evoked potentials, motor evoked potentials using transcranial electrical stimulation, and brainstem auditory evoked potentials are **medically necessary** during intracranial, orthopedic, spinal, and vascular surgeries.

**III.** It is the policy of Louisiana Healthcare Connections that there is insufficient evidence in the published peer-reviewed literature to support evoked potential testing for the following indications:

- A. Intraoperative monitoring of visual evoked potentials;
- B. Motor evoked potentials from transcranial magnetic stimulation.

**IV.** It is the policy of Louisiana Healthcare Connections that evoked potential testing is **not medically necessary** for the following indications:

- A. Motor evoked potentials for non-operative monitoring;
- B. Visual evoked potentials, any of the following:
  1. Glaucoma or glaucoma suspect;
  2. Amblyopia;
  3. Diabetes;
- C. For the evaluation/assessment of all other conditions than those specified above.

### **Background**

Sensory evoked potentials provide electrical recordings of afferent and efferent networks within the central and peripheral nervous systems in response to specific stimulation. These sophisticated tests facilitate the diagnosis of nerve damage or locate the specific site of nerve damage. There are several types of evoked potentials, including sensory evoked potentials and motor evoked potentials. Examples of sensory evoked potentials include somatosensory, brainstem auditory, and visual evoked potentials. Somatosensory evoked potentials generate sensory information from peripheral nerve stimulation.<sup>1</sup> Brainstem auditory evoked potentials are created in response to aural cues and are evaluated at the brainstem and posterior fossa.<sup>2</sup> Visual evoked potentials provide information regarding conduction within the visual pathway, including the retino-striate conduction time.<sup>1</sup> Motor evoked potentials are elicited by electrical or magnetic stimulation of the motor cortex or spinal cord.

Intraoperative monitoring of neurophysiologic responses involves the electrophysiologic measurement of myogenic and neural responses during surgeries. These measurements and testing are in response to controlled and modality-specific stimulation. According to the American Speech Language Hearing Association's Position Statement on Intraoperative Monitoring, the primary objectives of intraoperative monitoring include: (1) to avoid intraoperative injury to neural structures; (2) to facilitate specific stages of the surgical

procedure; (3) to reduce the risk of permanent postoperative neurological injury; and (4) to assist the surgeon in identifying specific neural structures.<sup>2</sup>

The American Academy of Neurology published an assessment of intraoperative neurophysiologic monitoring with an evidence-based guideline update in 2012.<sup>3</sup> This guideline specifically addressed whether spinal cord intraoperative monitoring with somatosensory and motor evoked potentials predict adverse surgical outcomes. All studies that met inclusion criteria were consistent in showing all occurrences of paraparesis, paraplegia, and quadriplegia in the intraoperative monitoring of patients with evoked potential changes, and showed no occurrences of paraparesis, paraplegia, and quadriplegia in patients without evoked potential changes.<sup>3</sup> Thus, intraoperative neurophysiologic monitoring provides operating teams with information regarding increased risk of severe adverse neurologic outcomes. Furthermore, the American Society of Clinical Neurophysiology has published specific guidelines on an array of specifications, including the amplifier, safety, filtering, calibration, replication, and interpretation of results.<sup>4</sup>

### **Coding Implications**

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2023, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

NOTE: Coverage is subject to each requested code's inclusion on the corresponding LDH fee schedule. Non-covered codes are denoted (\*) and are reviewed for Medical Necessity for members/enrollees under 21 years of age on a per case basis.

<b>CPT® Codes</b>	<b>Description</b>
92652	Auditory evoked potentials; for threshold estimation at multiple frequencies, with interpretation and report
92653	Auditory evoked potentials; neurodiagnostic, with interpretation and report
95925	Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper limbs
95926	Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in lower limbs
95927	Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in the trunk or head
95928	Central motor evoked potential study (transcranial motor stimulation); upper limbs
95929	Central motor evoked potential study (transcranial motor stimulation); lower limbs

<b>CPT® Codes</b>	<b>Description</b>
95930	Visual evoked potential (VEP) checkerboard or flash testing, central nervous system except glaucoma, with interpretation and report
95938	Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper and lower limbs
95939	Central motor evoked potential study (transcranial motor stimulation); in upper and lower limbs
0333T*	Visual evoked potential, screening of visual acuity, automated, with report

**ICD-10-CM Diagnosis Codes that Support Coverage Criteria**

<b>ICD-10-CM Code</b>	<b>Description</b>
A17.0 through A17.89	Tuberculosis of nervous system
A39.82	Meningococcal retrobulbar neuritis
C30.1	Malignant neoplasm of middle ear
C41.0	Malignant neoplasm of bones of skull and face
C41.2	Malignant neoplasm of vertebral column
C70.0 through C70.9	Malignant neoplasm of meninges
C71.0 through C71.9	Malignant neoplasm of brain
C72.0 through C72.9	Malignant neoplasm of spinal cord, cranial nerves and other parts of the central nervous system
C79.31 through C79.32	Secondary malignant neoplasm of brain and cerebral meninges
C79.49	Secondary malignant neoplasm of other parts of nervous system
D02.3	Carcinoma in situ of other parts of respiratory system
D14.0	Benign neoplasm of middle ear, nasal cavity and accessory sinuses
D16.6	Benign neoplasm of vertebral column
D18.02	Hemangioma of intracranial structures
D32.0 through D32.9	Benign neoplasm of meninges
D33.0 through D33.9	Benign neoplasm of brain and other parts of central nervous system
D38.5	Neoplasm of uncertain behavior of other respiratory organs
D42.0 through D42.9	Neoplasm of uncertain behavior of meninges
D43.0 through D43.9	Neoplasm of uncertain behavior of brain and central nervous system
D44.3	Neoplasm of uncertain behavior of pituitary gland
D44.4	Neoplasm of uncertain behavior of craniopharyngeal duct
D44.5	Neoplasm of uncertain behavior of pineal gland
D49.1	Neoplasm of unspecified behavior of respiratory system
D49.6	Neoplasm of unspecified behavior of brain
E08.40	Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified
E08.41	Diabetes mellitus due to underlying condition with diabetic mononeuropathy
E08.42	Diabetes mellitus due to underlying condition with diabetic polyneuropathy

ICD-10-CM Code	Description
E08.43	Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy
E08.44	Diabetes mellitus due to underlying condition with diabetic amyotrophy
E08.49	Diabetes mellitus due to underlying condition with other diabetic neurological complication
E71.520	Childhood cerebral X-linked adrenoleukodystrophy
E71.521	Adolescent X-linked adrenoleukodystrophy
E71.522	Adrenomyeloneuropathy
E71.528	Other X-linked adrenoleukodystrophy
E71.529	X-linked adrenoleukodystrophy, unspecified type
G06.0 through G06.2	Intracranial and intraspinal abscess and granuloma
G11.10	Early-onset cerebellar ataxia, unspecified
G11.11	Friedreich ataxia
G11.19	Other early-onset cerebellar ataxia
G23.0	Hallervorden-Spatz disease
G23.1	Progressive supranuclear ophthalmoplegia (Steele-Richardson-Olszewski)
G23.2	Striatonigral degeneration
G23.8	Other specified degenerative diseases of basal ganglia
G31.89	Other specified degenerative diseases of nervous system
G31.9	Degenerative disease of nervous system, unspecified
G35	Multiple sclerosis
G36.0 through G36.9	Other acute disseminated demyelination
G37.0 through G37.9	Other demyelinating diseases of central nervous system
G50.0 through G50.9	Disorders of trigeminal nerve
G52.0 through G52.9	Disorders of other cranial nerves
G54.0	Brachial plexus disorders
G54.1	Lumbosacral plexus disorders
G54.2	Cervical root disorders, not elsewhere classified
G54.3	Thoracic root disorders, not elsewhere classified
G54.4	Lumbosacral root disorders, not elsewhere classified
G90.3	Multi-system degeneration of the autonomic nervous system
G90.8	Other disorders of autonomic nervous system
G90.9	Disorder of the autonomic nervous system, unspecified
G93.0	Cerebral cysts
G93.1	Anoxic brain damage, not elsewhere classified
G93.5	Compression of the brain
G95.9	Disease of spinal cord, unspecified
G96.89	Other specified disorders of central nervous system
H35.54	Dystrophies primarily involving the retinal pigment epithelium
H46.0 through H46.9	Optic neuritis
H47.011 through H47.649	Other disorders of optic [2 <sup>nd</sup> ] nerve and visual pathways

ICD-10-CM Code	Description
H53.001 through H53.9	Visual disturbances
H54.3	Unqualified visual loss, both eyes
H54.60 through H54.62	Unqualified visual loss, one eye
H81.01 through H81.09	Meniere's disease
H81.391 through H81.399	Other peripheral vertigo
H81.4	Vertigo of central origin
H90.0 through H90.72	Conductive and sensorineural hearing loss
H91.01 through H91.93	Other and unspecified hearing loss
H93.3x1 through H93.3x9	Disorders of acoustic nerve
I60.00 through I60.8	Nontraumatic subarachnoid hemorrhage
I61.0 through I61.8	Nontraumatic intracerebral hemorrhage
I62.00 through I62.1	Other and unspecified nontraumatic intracranial hemorrhage
I63.00 through I63.9	Cerebral infarction
I65.01 through I65.9	Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction
I66.01 through I66.9	Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction
I67.0 through I67.7	Other cerebrovascular diseases
I71.00 through I71.9	Aortic aneurysm and dissection
I72.0	Aneurysm of carotid artery
I77.71	Dissection of carotid artery
I77.74	Dissection of vertebral artery
M40.00 through M40.57	Kyphosis and lordosis
M41.00 through M41.9	Scoliosis
M43.00 through M43.09	Spondylolysis
M43.10 through M43.19	Spondylolisthesis
M47.011 through M47.9	Spondylosis
M48.00 through M48.08	Spinal stenosis
M50.00 through M50.93	Cervical disc disorders

ICD-10-CM Code	Description
M51.04 through M51.9	Thoracic, thoracolumbar, and lumbosacral intervertebral disc disorders
P10.0 through P10.9	Intracranial laceration and hemorrhage due to birth injury
P11.0 through P11.9	Other birth injuries to central nervous system
P14.0 through P14.9	Birth injury to peripheral nervous system
Q01.0-Q01.9	Encephalocele
Q04.0 through Q04.9	Other congenital malformations of brain
Q05.0 through Q05.9	Spina bifida
Q07.00 through Q07.03	Arnold –Chiari syndrome
Q28.0 through Q28.9	Other congenital malformations of circulatory systems
Q76.2	Congenital spondylolisthesis
Q85.00 through Q85.09	Neurofibromatosis (nonmalignant)
R40.20 through R40.2444	Unspecified coma
R44.1	Visual hallucinations
R48.3	Visual agnosia
R94.110 through R94.138	Abnormal results of function studies of peripheral nervous system and special senses
S02.0XX through S02.42X (add 7 <sup>th</sup> digit A through S)	Fracture of skull and facial bones
S04.011 through S04.9XX (add 7 <sup>th</sup> digit A through S)	Injury of cranial nerve
S06.0X0 through S06.899 (add 7 <sup>th</sup> digit A through S)	Intracranial injury
S07.0XX through S07.9XX (add 7 <sup>th</sup> digit A through S)	Crushing injury of head
S12.000 through S12.9XX (add 7 <sup>th</sup> digit A through S)	Fracture of cervical vertebrae and other parts of neck
S14.0XX through S14.9XX (add 7 <sup>th</sup> digit A through S)	Injury of nerves and spinal cord at neck level
S22.000 through S22.089 (add 7 <sup>th</sup> digit A through S)	Fracture of thoracic vertebrae
S24.101 through S24.9XX (add 7 <sup>th</sup> digit A through S)	Other and unspecified injuries of thoracic spinal cord



ICD-10-CM Code	Description
S34.01X through S34.9XX (add 7th digit A through S)	Injury of lumbar and sacral spinal cord and nerves at abdomen, lower back and pelvis level
Z01.110	Encounter for hearing examination following failed hearing screening
Z08	Encounter for follow-up examination after completed treatment for malignant neoplasm
Z87.710 through Z87.798	Personal history of (corrected) congenital malformations

Reviews, Revisions, and Approvals	Revision Date	Approval Date	Effective Date
Converted corporate to local policy.	10/2020		
CPT code 92585 deleted 1/1/21. Added replacement CPT codes 92652 and 92653. “Experimental/investigational” verbiage replaced with descriptive language in in policy statement III. Minor typo corrections. Changed “review date” in the header to “date of last revision” and “date” in the revision log header to “revision date.” References reviewed, updated, and reformatted. Coding reviewed and updated. Removed intraoperative CPT codes 95940, 95941, and HCPCS code G0453. Added “and my not support medical necessity” to coding implications.	2/22	4/22	
Annual review. References reviewed and updated. Specialist reviewed.	10/22	1/14/23	
Added new 2023 ICD-10 codes to S06 code range. Added “NOTE: Coverage is subject to each requested code’s inclusion on the corresponding LDH fee schedule. Non-covered codes are denoted (*) and are reviewed for Medical Necessity for members/enrollees under 21 years of age on a per case basis.” Added * to CPT 0333T and to Visual Evoked Potential Testing in the Policy section.	5/23	7/21/23	
Annual review. References reviewed and updated. Reviewed by external specialist.	10/23	1/5/24	
Annual review. Minor rewording in background with no impact to criteria. References reviewed and updated.	12/24	1/27/25	2/27/25

## References

- Walsh P, Kane N, Butler S. The clinical role of evoked potentials. *J Neurol Neurosurg Psychiatry*. 2005;76 Suppl 2(Suppl 2):ii16 to ii22. doi:10.1136/jnnp.2005.068130
- American Speech-Language-Hearing Association. Neurophysiologic intraoperative monitoring [Position Statement]. <https://www.asha.org/policy/ps1992-00036/>. Published 1992. Accessed August 21, 2024.



3. Nuwer MR, Emerson RG, Galloway G, et al. Evidence-based guideline update: intraoperative spinal monitoring with somatosensory and transcranial electrical motor evoked potentials: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and the American Clinical Neurophysiology Society. *Neurology*. 2012;78(8):585 to 589. doi:10.1212/WNL.0b013e318247fa0e
4. American Clinical Neurophysiology Society. Guideline 9A: Guidelines on evoked potentials. *J Clin Neurophysiol*. 2006;23(2):125 to 137. doi:10.1097/00004691-200604000-00010
5. Legatt AD, Emerson RG, Epstein CM, et al. ACNS Guideline: Transcranial Electrical Stimulation Motor Evoked Potential Monitoring. *J Clin Neurophysiol*. 2016;33(1):42 to 50. doi:10.1097/WNP.0000000000000253
6. Holdefer RN, MacDonald DB, Skinner SA. Somatosensory and motor evoked potentials as biomarkers for post-operative neurological status. *Clin Neurophysiol*. 2015;126(5):857 to 865. doi:10.1016/j.clinph.2014.11.009
7. Local coverage determination: Neurophysiology Evoked Potentials (NEPs) (L34975). Centers for Medicare and Medicaid Services Web site. <http://www.cms.hhs.gov/mcd/search.asp>. Published October 1, 2015 (revised October 17, 2019.) Accessed August 21, 2024.
8. Young A, Cornejo J, Spinner A. Auditory Brainstem Response. [Updated 2023 Jan 12]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK564321/>

### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the

requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

©2023 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademarks exclusively owned by Louisiana Healthcare Connections.