

### Clinical Policy: Evoked Potential Testing

Reference Number: LA.CP.MP.134 Coding Implications

Last Review Date: 08/2020

**Revision Log** 

See Important Reminder at the end of this policy for important regulatory and legal information

#### **Description**

Types of evoked potentials include somatosensory, brainstem auditory, visual and motor. Sensory evoked potentials evaluate electrical activity in the nervous system in response to stimulation of specific nerve pathways. Monitoring of neurophysiologic evoked potentials intraoperatively helps prevent neurologic injury during neurological, orthopedic, and other types of surgeries. This policy describes the medically necessary indications for neurophysiologic evoked potentials.

#### Policy/Criteria

- **I.** It is the policy of Louisiana Healthcare Connections that evoked potential testing is medically necessary for the following indications:
  - A. Somatosensory Evoked Potentials Testing
    - 1. Aid in the evaluation of prognosis of acute anoxic encephalopathy, within the initial 72 hours of onset (e.g. after cardiac arrest);
    - 2. Assessment of a decline in status which may warrant emergent surgery in unconscious spinal cord injury patients who show specific structural damage to the somatosensory system, and who are candidates for emergency spinal cord surgery;
    - 3. Aid in the diagnosis of multiple sclerosis;
    - 4. Aid in the assessment of coma following traumatic, hypoxic-ischemic, and other diffuse brain injuries;
    - 5. Assessment of central nervous system deficiency identified on clinical exam when not explained by appropriate imaging studies;
    - 6. Management of conditions causing spinocerebral degeneration, such as Fredreichs ataxia or peripheral nerve degeneration (e.g. diabetic neuropathy);
    - 7. Intraoperative monitoring during surgeries that may affect neural structures.

### B. Brainstem Auditory Evoked Potential Testing

- 1. Assessment of brainstem function such as during tumor infiltration of the brainstem and after a lesion has been surgically removed;
- 2. Diagnosis and monitoring of demyelinating and degenerative diseases affecting the brain stem such as multiple sclerosis, central pontine myelinolysis, and olivopontocerebellar degeneration;
- 3. Diagnosis of lesions in the auditory system (e.g., acoustic neuroma);
- 4. Aid in the evaluation of prognosis in coma within the initial 72 hours of onset, excluding evaluation of brain death;
- 5. Screening for hearing loss of infants and preverbal children or children with developmental delay or intellectual disability;
- 6. Intraoperative monitoring during surgeries which may affect neural structures.

#### C. Visual Evoked Potential Testing

## CLINICAL POLICY Evoked Potentials



- 1. Diagnosis and monitoring of optic nerve function and/or during demyelinating disorders of the optic nerve (e.g., multiple sclerosis, optic neuritis);
- 2. Assessment of suspected disorder of the optic nerve, optic chiasm or pre-optic chiasmic radiations (visual evoked potentials are not useful for post-chiasmic disease);
- 3. Evaluation of visual loss in those unable to communicate.
- **II.** It is the policy of Louisiana Healthcare Connections that somatosensory evoked potentials, motor evoked potentials using transcranial electrical stimulation, and brainstem auditory evoked potentials are medically necessary during intracranial, orthopedic, spinal, and vascular surgeries.
- **III.** It is the policy of Louisiana Healthcare Connections that evoked potential testing is experimental/investigational for the following indications:
  - A. Intraoperative monitoring of visual evoked potentials;
  - B. Motor evoked potentials from transcranial magnetic stimulation.
- **IV.** It is the policy of Louisiana Healthcare Connections that evoked potential testing is not medically necessary for the following indications:
  - A. Motor evoked potentials for non-operative monitoring;
  - B. Visual evoked potentials, any of the following:
    - 1. Glaucoma or glaucoma suspect
    - 2. Amblyopia
    - 3. Diabetes
  - C. For the evaluation/assessment of all other conditions than those specified above.

#### **Background**

Sensory evoked potentials provide electrical recordings of afferent and efferent networks within the central and peripheral nervous systems in response to specific stimulation. These sophisticated tests facilitate the diagnosis nerve damage, or locate the specific site of nerve damage. There are several types of evoked potentials including sensory evoked potentials and motor evoked potentials. Examples of sensory evoked potentials include somatosensory, brainstem auditory, and visual evoked potentials. Somatosensory evoked potentials generate sensory information from peripheral nerve stimulation.<sup>2</sup> Brainstem auditory evoked potentials are created in response to aural cues and are evaluated at the brainstem and posterior fossa.<sup>2</sup> Visual evoked potentials provide information regarding conduction within the visual pathway, including the retino-striate conduction time.<sup>2</sup> Motor evoked potentials are elicited by electrical or magnetic stimulation of the motor cortex or spinal cord.

Intraoperative monitoring of neurophysiologic responses involves the electrophysiologic measurement of myogenic and neural responses during the course of surgeries. These measurements and testing are in response to controlled and modality specific stimulation. According to the American Speech Language Hearing Association's Position Statement on Intraoperative Monitoring, the primary objectives of intraoperative monitoring include: (1) to avoid intraoperative injury to neural structures; (2) to facilitate specific stages of the surgical

# CLINICAL POLICY Evoked Potentials



procedure; (3) to reduce the risk of permanent postoperative neurological injury; and (4) to assist the surgeon in identifying specific neural structures.<sup>1</sup>

The American Academy of Neurology published an assessment of intraoperative neurophysiologic monitoring with an evidence based guideline update in 2012.<sup>3</sup> This guideline specifically addressed whether spinal cord intraoperative monitoring with somatosensory and motor evoked potentials predict adverse surgical outcomes. All studies that met inclusion criteria were consistent in showing all of the occurrences of paraparesis, paraplegia, and quadriplegia in the intraoperative monitoring of patients with evoked potential changes, and showed no occurrences of paraparesis, paraplegia, and quadriplegia in patients without evoked potential changes.<sup>3</sup> Thus, intraoperative neurophysiologic monitoring provides operating teams with information regarding increased risk of severe adverse neurologic outcomes. Furthermore, the American Society Clinical Neurophysiology has published specific guidelines on an array of specifications, including the amplifier, safety, filtering, calibration, replication, and interpretation of results <sup>4</sup>

#### **Coding Implications**

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2020, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

<b>CPT®</b> Codes	Description
92585	Auditory evoked potentials for evoked response audiometry and/or testing of the central nervous system; comprehensive
95925	Short–latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper limbs
95926	Short–latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in lower limbs
95927	Short–latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in the trunk or head
95928	Central motor evoked potential study (transcranial motor stimulation); upper limbs
95929	Central motor evoked potential study (transcranial motor stimulation); lower limbs
95930	Visual evoked potential (VEP) testing central nervous system, checkerboard or flash testing, central nervous system except glaucoma, with interpretation and report.



CPT® Codes	Description			
95938	Short–latency somatosensory evoked potential study, stimulation of			
	any/all peripheral nerves or skin sites, recording from the central nervous			
	system; in upper and lower limbs			
95939	Central motor evoked potential study (transcranial motor stimulation), in			
	upper and lower limbs			
95940	Continuous intraoperative neurophysiology monitoring in the operating			
	room, one on one monitoring requiring personal attendance, each 15			
	minutes (List separately in addition to code for primary procedure)			
95941	Continuous intraoperative neurophysiology monitoring, from outside the			
	operating room (remote or nearby) or for monitoring of more than one			
	case while in the operating room, per hour (List separately in addition to			
	code for primary procedure)			
0333T	Visual evoked potential, screening of visual acuity, automated			

HCPCS	Description
Codes	
G0453	Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby), per patient, (attention directed exclusively
	to one patient) each 15 minutes (list in addition to primary procedure)

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

ICD-10-CM Code	Description	
A17.0-A17.89	Tuberculosis of nervous system	
A39.82	Meningococcal retrobulbar neuritis	
C30.1	Malignant neoplasm of middle ear	
C41.0	Malignant neoplasm of bones of skull and face	
C41.2	Malignant neoplasm of vertebral column	
C70.0-C70.9	Malignant neoplasm of meninges	
C71.0-C71.9	Malignant neoplasm of brain	
C72.0-C72.9	Malignant neoplasm of spinal cord, cranial nerves and other parts	
	of the central nervous system	
C79.31-C79.32	Secondary malignant neoplasm of brain and cerebral meninges	
C79.49	Secondary malignant neoplasm of other parts of nervous system	
D02.3	Carcinoma in situ of other parts of respiratory system	
D14.0	Benign neoplasm of middle ear, nasal cavity and accessory sinus	
D16.6	Benign neoplasm of vertebral column	
D18.02	Hemangioma of intracranial structures	
D32.0-D32.9	Benign neoplasm of meninges	
D33.0-D33.9	Benign neoplasm of brain and other parts of central nervous	
	system	
D38.5	Neoplasm of uncertain behavior of other respiratory organs	
D42.0-D42.9	Neoplasm of uncertain behavior of meninges	
D43.0-D43.9	Neoplasm of uncertain behavior of brain and central nervous	
	system	



ICD-10-CM Code	Description	
D44.3	Neoplasm of uncertain behavior of pituitary gland	
D44.4	Neoplasm of uncertain behavior of craniopharyngeal duct	
D44.5	Neoplasm of uncertain behavior of pineal gland	
D49.1	Neoplasm of unspecified behavior of respiratory system	
D49.6	Neoplasm of unspecified behavior of brain	
E08.40	Diabetes mellitus due to underlying condition with diabetic	
	neuropathy, unspecified	
E08.41	Diabetes mellitus due to underlying condition with diabetic	
	mononeuropathy	
E08.42	Diabetes mellitus due to underlying condition with diabetic	
	polyneuropathy	
E08.43	Diabetes mellitus due to underlying condition with diabetic	
	autonomic (poly)neuropathy	
E08.44	Diabetes mellitus due to underlying condition with diabetic	
	amyotrophy	
E08.49	Diabetes mellitus due to underlying condition with other diabetic	
	neurological complication	
E71.520	Childhood cerebral X-linked adrenoleukodystrophy	
E71.521	Adolescent X-linked adrenoleukodystrophy	
E71.522	Adrenomyeloneuropathy	
E71.528	Other X-linked adrenoleukodystrophy	
E71.529	X-linked adrenoleukodystrophy, unspecified type	
G06.0-G06.2	Intracranial and intraspinal abscess and granuloma	
G11.10	Early-onset cerebellar ataxia, unspecified	
G11.11	Friedreich ataxia	
G11.19	Other early-onset cerebellar ataxia	
G23.0	Hallervorden-Spatz disease	
G23.1	Progressive supranuclear ophthalmoplegia (Steele-Richardson-Olszewski)	
G23.2	Striatonigral degeneration	
G23.8	Other specified degenerative diseases of basal ganglia	
G31.89	Other specified degenerative diseases of nervous system	
G31.9	Degenerative disease of nervous system, unspecified	
G35	Multiple sclerosis	
G36.0-G36.9	Other acute disseminated demyelination	
G37.0-G37.9	Other demyelinating diseases of central nervous system	
G50.0-G50.9	Disorders of trigeminal nerve	
G52.0-G52.9	Disorders of other cranial nerves	
G54.0	Brachial plexus disorders	
G54.1	Lumbosacral plexus disorders	
G54.2	Cervical root disorders, not elsewhere classified	
G54.3	Thoracic root disorders, not elsewhere classified	
G54.4		
G54.4 G90.3	Lumbosacral root disorders, not elsewhere classified  Multi-system degeneration of the autonomic nervous system	



ICD-10-CM Code	Description		
G90.8	Other disorders of autonomic nervous system		
G90.9	Disorder of the autonomic nervous system, unspecified		
G93.0	Cerebral cysts		
G93.1	Anoxic brain damage, not elsewhere classified		
G93.5	Compression of the brain		
G95.9	Disease of spinal cord, unspecified		
G96.89	Other specified disorders of central nervous system		
H35.54	Dystrophies primarily involving the retinal pigment epithelium		
H46.0-H46.9	Optic neuritis		
H47.011-H47.649	Other disorders of optic (2nd) nerve and visual pathways		
H53.001 – H53.9	Visual disturbances		
H54.3	Unqualified visual loss, both eyes		
H54.60-H54.62	Unqualified visual loss, one eye		
H81.01 – H81.09	Meniere's disease		
H81.391 – H81.399	Other peripheral vertigo		
H81.4	Vertigo of central origin		
H90.0-H90.72	Conductive and sensorineural hearing loss		
H91.01-H91.93	Other and unspecified hearing loss		
H93.3x1 – H93.3x9	Disorders of acoustic nerve		
160.00-160.8	Nontraumatic subarachnoid hemorrhage		
I61.0-I61.8	Nontraumatic intracerebral hemorrhage		
I62.00-I62.1	Other and unspecified nontraumatic intracranial hemorrhage		
	Cerebral infarction		
I63.00-I63.9 I65.01-I65.9			
103.01-103.9	Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction		
I66.01-I66.9	Occlusion and stenosis of cerebral arteries, not resulting in		
100.01-100.9	cerebral infarction		
I67.0-I67.7	Other cerebral vascular diseases		
171.00-171.9			
171.00-171.9 172.0	Annuary of corotid artery		
	Aneurysm of carotid artery		
I77.71 I77.74	Dissection of carotid artery		
M40.00-M40.57	Dissection of vertebral artery		
	Kyphosis and lordosis		
M41.00- M41.9	Scoliosis		
M43.00-M43.09	Spondylolysis		
M43.10-M43.19	Spondylolisthesis		
M47.011-M47.9	Spondylosis		
M48.00-M48.08	Spinal stenosis		
M50.00-M50.93	Cervical disc disorders		
M51.04-M51.9	Thoracic, thoracolumbar, and lumbosacral intervertebral disc		
D10 0 D10 0	disorders		
P10.0-P10.9	Intracranial laceration and hemorrhage due to birth injury		
P11.0-P11.9	Other birth injuries to central nervous system		
P14.0-P14.9	Birth injury to peripheral nervous system		



ICD-10-CM Code	Description
Q01.0-Q01.9	Encephalocele
Q04.0-Q04.9	Other congenital malformations of brain
Q05.0-Q05.9	Spina bifida
Q07.00-Q07.03	Arnold –Chiari syndrome
Q28.0-Q28.9	Other congenital malformations of circulatory systems
Q76.2	Congenital spondylolisthesis
Q85.00-Q85.09	Phakomatoses, not elsewhere classified
R40.20-R40.2444	Coma
R44.1	Visual hallucinations
R48.3	Visual agnosia
R94.110 – R94.138	Abnormal results of function studies of peripheral nervous system
	and special senses
S02.0XX- S02.42X	Fracture of skull and facial bones
(add 7 <sup>th</sup> digit A-S)	
S04.011-S04.9XX	Injury of optic nerve and pathways
(add 7th digit A-S)	
S06.0X0-S06.898	Intracranial injury
(add 7th digit A-S)	
S07.0XX -S07.9XX	Crushing injury of head
(add 7th digit A-S)	
S12.000 -S12.9XX	Fracture of cervical vertebrae and other parts of the neck
(add 7th digit A-S)	
S14.0XX- S14.9XX	Injury of nerves and spinal cord at neck level
(add 7th digit A-S)	
S22.000 -S22.089	Fracture of thoracic vertebrae
(add 7th digit A-S)	
S24.101-	Other and unspecified injuries of thoracic spinal cord
S24.9XX(add 7th	
digit A-S)	
S34.01X -S34.9XX	Injury of lumbar and sacral spinal cord and nerves at abdomen,
(add 7th digit A-S)	lower back and pelvis level
Z01.110	Encounter for hearing examination following failed hearing
	screening
Z08	Encounter for follow-up examination after completed treatment
	for malignant neoplasm
Z87.710-Z87.798	Personal history of (corrected) congenital malformations

Reviews, Revisions, and Approvals	Date	Approval Date
Converted corporate to local policy.	08/15/2020	



#### References

- American Speech-Language-Hearing Association. (1992). Neurophysiologic Intraoperative Monitoring [Position Statement]. Available from https://www.asha.org/policy/PS1992-00036/
- 2. Walsh P, Kane N, Butler S. The clinical role of evoked potentials. J Neurol Neurosurg Psychiatry 2005 Jun;76 Suppl 2:ii16-22.
- 3. Nuwer MR, Emerson RG, Galloway G, et al. Evidence-based guideline update: Intraoperative spinal monitoring with somatosensory and transcranial electrical motor evoked potentials. Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and the American Clinical Neurophysiology Society (ACNS). Neurology 78.8 (2012): 585-589.
- 4. American Society Clinical Neurophysiology. Guideline 9A: Guidelines on Evoked Potentials. Journal of Clinical Neurophysiology. Volume 23 Number 2. April 2006.
- 5. Legatt AD, Emerson RG, Epstein CM. et al. ACNS Guideline: Transcranial Electrical Stimulation Motor Evoked Potential Monitoring. J Clin Neurophysiol. 2016 Feb;33(1):42-50. doi: 10.1097/WNP.000000000000253. Available at: https://www.acns.org/UserFiles/file/ACNS Guideline \_Transcranial\_Electrical.9\_v1.pdf
- 6. Holdefer RN, MacDonald DB, Skinner SA. Somatosensory and motor evoked potentials as biomarkers for post-operative neurological status. Clin Neurophysiol. 2015 May;126(5):857-65. doi: 10.1016/j.clinph.2014.11.009.

### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or

## CLINICAL POLICY Evoked Potentials



withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©2020 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademark exclusively owned by Louisiana Healthcare Connections.