

Clinical Policy: Cosmetic and Reconstructive Procedures

Reference Number: LA.CP.MP.31 Coding Implications
Date of Last Revision: 12/22 Revision Log

See Important Reminder at the end of this policy for important regulatory and legal information.

Description

This policy will provide general guidelines as to when cosmetic and reconstructive surgery is or is not medically necessary. Not all cosmetic procedures are listed in this policy. The Medical Director has the final decision to deny coverage for services deemed cosmetic in nature and not medically necessary.

Policy/Criteria

- **I.** It is the policy of Louisiana Healthcare Connections that *reconstructive procedures* are considered **medically necessary** when meeting all of the following:
 - A. Intent of the procedure meets one of the following:
 - 1. The procedure is performed to improve the function of an abnormal body part caused by illness, trauma, or a congenital defect after failure of conservative therapy (unless conservative therapy is not standard of care for the condition, or is contraindicated);
 - 2. Skin tag removal when located in an area of friction with documentation of repeated irritation and bleeding (refer to Benefit Plan Contract for any coverage restrictions);
 - 3. Scar/keloid revision/removal when accompanied by pain unresponsive to standard therapy and is recurrently infected, unstable, friable; or with functional impairment;
 - 4. Certain reconstructive procedures may be covered if improving appearance is the only benefit, e.g. post-mastectomy breast reconstruction. These procedures may include, but are not limited to:
 - a. Post-mastectomy*, medically necessary lumpectomy, or other medically necessary breast surgery resulting in asymmetry: breast reconstruction, including nipple reconstruction, tattooing and surgery on contralateral breast to restore symmetry;
 - b. Use of FDA-approved facial dermal injections [poly-L-lactic acid (SculptraTM), calcium hydroxylapatite microspheres (Radiesse[®])] or autologous fat transfers for HIV-associated wasting** when meeting both of the following:
 - i. Diagnosis of HIV (human immunodeficiency virus) or AIDS (acquired immunodeficiency syndrome);
 - ii. Diagnosis of facial lipodystrophy syndrome (LDS);
 - 5. Reconstructive breast surgery after a therapeutic intervention (e.g., mastectomy) or trauma resulting in significant loss of breast tissue:
 - a. Reconstruction of the affected breast;
 - b. Reconstruction of the contralateral breast to produce a symmetrical appearance;
 - c. Prostheses (implanted, external, or both); and
 - d. Treatment of complications of the reconstruction Note: All prosthetic implants must be FDA approved and used in compliance with all FDA requirements at the time of the surgery.



- II. It is the policy of Louisiana Healthcare Connections that *cosmetic surgery* is **not medically necessary** and generally not a covered benefit when performed to improve a patient's normal appearance and self-esteem. These procedures include, but are not limited to:
 - A. Excision of excessive skin
 - B. Body contouring
 - C. Body lift
 - D. Breast augmentation
 - E. Liposuction, excluding lipoma as directed by clinical decision support criteria
 - F. Surgery to correct unsatisfactory results from previous cosmetic and/or non-covered service
 - G. Revision, removal, or replacement of breast implants previously placed for cosmetic reasons
 - H. Removal of excess skin or body contouring procedures following weight loss or bariatric surgery when removal is solely cosmetic
 - I. Facial augmentation
 - J. Abdominoplasty
 - K. Dermabrasion
 - L. Skin rejuvenation and resurfacing
 - M. Electrolysis, laser hair removal
 - N. Hair transplantation, when not performed to correct permanent hair loss caused by disease or injury
 - O. Tattooing (except when covered for breast reconstruction post-mastectomy)
 - P. Injectable filler
 - Q. Circumcision revisions done only to improve appearance
 - R. Mastopexy (except for breast reconstruction post-mastectomy, medically necessary lumpectomy, or other medically necessary breast surgery resulting in significant asymmetry).
 - S. Correction of inverted nipples
 - T. Repair of diastasis recti.
 - U. Breast reconstruction for fibroadenomas or other benign lesions, unless medically necessary per clinical decision support criteria.

Background

Reconstructive surgery is performed on abnormal structures of the body, caused by congenital defects, developmental abnormalities, previous or concurrent surgeries, trauma, infection, tumors or disease. It is generally performed to improve the functioning of a body part and may or may not restore a normal appearance. Functional impairment is a health condition in which the normal function of a part of the body or organ system is less than age appropriate at full capacity, such as decreased range of motion, diminished eyesight or hearing, etc. that variably impacts activities of daily living. ³

Cosmetic surgery is performed to reshape normal structures of the body in order to improve the appearance and self-esteem of a patient. It is generally not considered medically necessary. ¹



Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2019, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only and may not support medical necessity. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

| CPT Codes | Description | | |
|------------------|----------------------------------------------------------------------------------|--|--|
| Codes | Description | | |
| 11200 | Removal of skin tags, multiple fibrocutaneous tags, any area; up to and | | |
| 11200 | including 15 lesions | | |
| 11201 | Removal of skin tags, multiple fibrocutaneous tags, any area; each additional | | |
| 11201 | 10 lesions, or part thereof (List separately in addition to code for primary | | |
| | procedure) | | |
| 11310 | Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, | | |
| | lips, mucous membrane; lesion diameter 0.5 cm or less | | |
| 11400 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), trunk, arms or legs; excised diameter 0.5 cm or less | | |
| 11401 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), trunk, arms or legs; excised diameter 0.6 to 1.0 cm | | |
| 11402 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), trunk, arms or legs; excised diameter 1.1 to 2.0 cm | | |
| 11403 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), trunk, arms or legs; excised diameter 2.1 to 3.0 cm | | |
| 11404 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), trunk, arms or legs; excised diameter 3.1 to 4.0 cm | | |
| 11406 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), trunk, arms or legs; excised diameter over 4.0 cm | | |
| 11420 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.5 cm or less | | |
| 11421 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.6 to 1.0 cm | | |
| 11422 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 1.1 to 2.0 cm | | |
| 11423 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 2.1 to 3.0 cm | | |
| 11424 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 3.1 to 4.0 cm | | |
| 11426 | Excision, benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), scalp, neck, hands, feet, genitalia; excised diameter over 4.0 cm | | |



| CPT Codes | Description | | |
|------------------|----------------------------------------------------------------------------------------|--|--|
| Codes | Description | | |
| 11440 | Excision, other benign lesion including margins, except skin tag (unless listed | | |
| 11440 | elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter | | |
| | 0.5 cm or less | | |
| 11441 | Excision, other benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter | | |
| | 0.6 to 1.0 cm | | |
| 11442 | Excision, other benign lesion including margins, except skin tag (unless liste | | |
| | elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter | | |
| | 1.1 to 2.0 cm | | |
| 11443 | Excision, other benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter | | |
| | 2.1 to 3.0 cm | | |
| 11444 | Excision, other benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter | | |
| | 3.1 to 4.0 cm | | |
| 11446 | Excision, other benign lesion including margins, except skin tag (unless listed | | |
| | elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter | | |
| | over 4.0 cm | | |
| 11920 | Tattooing, intradermal introduction of insoluble opaque pigments to correct | | |
| | color defects of skin, including micropigmentation; 6.0 sq cm or less | | |
| 11921 | Tattooing, intradermal introduction of insoluble opaque pigments to correct | | |
| | color defects of skin, including micropigmentation; 6.1 to 20.0 sq cm | | |
| 11922 | Tattooing, intradermal introduction of insoluble opaque pigments to correct | | |
| | color defects of skin, including micropigmentation; each additional 20.0 sq cm, | | |
| | or part thereof (List separately in addition to code for primary procedure) | | |
| 15773 | Grafting of autologous fat harvested by liposuction technique to face, eyelids, | | |
| | mouth, neck, ears, orbits, genitalia, hands, and/or feet; 25 cc or less injectate | | |
| 15774 | Grafting of autologous fat harvested by liposuction technique to face, eyelids, | | |
| | mouth, neck, ears, orbits, genitalia, hands, and/or feet; each additional 25 cc | | |
| | injectate, or part thereof (List separately in addition to code for primary | | |
| 15700 | procedure) | | |
| 15788 | Chemical peel, facial; epidermal | | |
| 15789 | Chemical peel, facial; dermal | | |
| 15792 | Chemical peel, nonfacial; epidermal | | |
| 15793 | Chemical peel, nonfacial; dermal | | |
| 15830 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); | | |
| 15022 | abdomen, infraumbilical panniculectomy | | |
| 15832 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); thigh | | |
| 15833 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); leg | | |
| 15834 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); hip | | |
| 15835 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); buttock | | |
| 15836 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); arm | | |
| 15837 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); forearm or hand | | |
| | TOTCATHI OF HAMA | | |



| CPT Codes | Description | |
|------------------|----------------------------------------------------------------------------------|--|
| Codes | Description | |
| 15220 | Full thickness graft, free, including direct closure of donor site, scalp, arms, | |
| | and/or legs; 20 sq cm or less | |
| 15221 | Full thickness graft, free, including direct closure of donor site, scalp, arms, | |
| | and/or legs; each additional 20 sq cm, or part thereof (List separately in | |
| | addition to code for primary procedure) | |
| 15771 | Grafting of autologous fat harvested by liposuction technique to trunk, breasts | |
| | scalp, arms, and/or legs; 50 cc or less injectate | |
| 15772 | Grafting of autologous fat harvested by liposuction technique to trunk, breasts, | |
| | scalp, arms, and/or legs; each additional 50 cc injectate, or part thereof (List | |
| | separately in addition to code for primary procedure) | |
| 15775 | Punch graft for hair transplant; 1 to 15 punch grafts | |
| 15776 | Punch graft for hair transplant; more than 15 punch grafts | |
| 15838 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); | |
| | submental fat pad | |
| 15839 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); other | |
| | area | |
| 15847 | Excision, excessive skin and subcutaneous tissue (includes lipectomy), | |
| | abdomen (eg, abdominoplasty) (includes umbilical transposition and fascial | |
| | plication) (List separately in addition to code for primary procedure) | |
| 15876 | Suction assisted lipectomy; head and neck | |
| 15877 | Suction assisted lipectomy; trunk | |
| 15878 | Suction assisted lipectomy; upper extremity | |
| 15879 | Suction assisted lipectomy; lower extremity | |
| 15792 | Chemical peel, nonfacial; epidermal | |
| 15793 | Chemical peel, nonfacial; dermal | |
| 17110 | Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, | |
| | surgical curettement), of benign lesions other than skin tags or cutaneous | |
| | vascular proliferative lesions; up to 14 lesions | |
| 17111 | Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, | |
| | surgical curettement), of benign lesions other than skin tags or cutaneous | |
| 10201 | vascular proliferative lesions; 15 or more lesions | |
| 19301 | Mastectomy, partial (eg, lumpectomy, tylectomy, quadrantectomy, | |
| 10202 | segmentectomy); | |
| 19302 | Mastectomy, partial (eg, lumpectomy, tylectomy, quadrantectomy, | |
| 10202 | segmentectomy); with axillary lymphadenectomy | |
| 19303 | Mastectomy, simple, complete | |
| 19316 | Mastopexy | |
| 19318 | Breast reduction | |
| 19325 | Breast augmentation with implant | |
| 19328 | Removal of intact breast implant | |
| 19330 | Removal of ruptured breast implant, including implant contents (eg, saline, | |
| 10240 | silicone gel) | |
| 19340 | Insertion of breast implant on same day of mastectomy (ie, immediate) | |



| CPT Codes | Description | | |
|------------------|-----------------------------------------------------------------------------------------------------|--|--|
| Codes | | | |
| 19342 | Insertion or replacement of breast implant on separate day from mastectomy | | |
| 19350 | Nipple/areola reconstruction | | |
| 19355 | Correction of inverted nipples | | |
| 19357 | Tissue expander placement in breast reconstruction, including subsequent expansion(s) | | |
| 19361 | Breast reconstruction; with latissimus dorsi flap | | |
| 19364 | Breast reconstruction; with free flap (eg, fTRAM, DIEP, SIEA, GAP flap) | | |
| 19367 | Breast reconstruction; with single-pedicled transverse rectus abdominis myocutaneous (TRAM) flap | | |
| 19368 | Breast reconstruction; with single-pedicled transverse rectus abdominis | | |
| | myocutaneous (TRAM) flap, requiring separate microvascular anastomosis | | |
| | (supercharging) | | |
| 19369 | Breast reconstruction; with bipedicled transverse rectus abdominis myocutaneous (TRAM) flap | | |
| 19370 | Revision of peri-implant capsule, breast, including capsulotomy, | | |
| 10271 | capsulorrhaphy, and/or partial capsulectomy | | |
| 19371 | Peri-implant capsulectomy, breast, complete, including removal of all intracapsular contents | | |
| 19380 | Revision of reconstructed breast (eg, significant removal of tissue, re- | | |
| | advancement and/or re-inset of flaps in autologous reconstruction or | | |
| | significant capsular revision combined with soft tissue excision in implant- | | |
| | based reconstruction) | | |
| 19396 | Preparation of moulage for custom breast implant | | |
| 19499 | Unlisted procedure, breast | | |
| 21120 | Genioplasty; augmentation (autograft, allograft, prosthetic material) | | |
| 21121 | Genioplasty; sliding osteotomy, single piece | | |
| 21122 | Genioplasty; sliding osteotomies, 2 or more osteotomies (eg, wedge excision | | |
| | or bone wedge reversal for asymmetrical chin) | | |
| 21123 | Genioplasty; sliding, augmentation with interpositional bone grafts (includes obtaining autografts) | | |
| 21137 | Reduction forehead; contouring only | | |
| 21138 | Reduction forehead; contouring and application of prosthetic material or bone | | |
| | graft (includes obtaining autograft) | | |
| 21139 | Reduction forehead; contouring and setback of anterior frontal sinus wall | | |
| 21159 | Reconstruction midface, LeFort III (extra and intracranial) with forehead | | |
| | advancement (eg, mono bloc), requiring bone grafts (includes obtaining | | |
| | autografts); without LeFort I | | |
| 21160 | Reconstruction midface, LeFort III (extra and intracranial) with forehead | | |
| | advancement (eg, mono bloc), requiring bone grafts (includes obtaining | | |
| | autografts); with LeFort I | | |
| 21172 | Reconstruction superior-lateral orbital rim and lower forehead, advancement or | | |
| | alteration, with or without grafts (includes obtaining autografts) | | |
| | | | |



| CPT Codes | Description | |
|------------------|-------------------------------------------------------------------------------------------------------------------------------|--|
| Codes | Description | |
| 21175 | Reconstruction, bifrontal, superior-lateral orbital rims and lower forehead, | |
| 21173 | advancement or alteration (eg,plagiocephaly, trigonocephaly, brachycephaly), | |
| | with or without grafts (includes obtaining autografts) | |
| 21179 | Reconstruction, entire or majority of forehead and/or supraorbital rims; with | |
| | grafts (allograft or prosthetic material) | |
| 21180 | Reconstruction, entire or majority of forehead and/or supraorbital rims; with | |
| | autograft (includes obtaining grafts) | |
| 21181 | Reconstruction by contouring of benign tumor of cranial bones (eg, fibrous | |
| | dysplasia), extracranial | |
| 21182 | Reconstruction of orbital walls, rims, forehead, nasoethmoid complex | |
| | following intra- and extracranial excision of benign tumor of cranial bone (eg, | |
| | fibrous dysplasia), with multiple autografts (includes obtaining grafts); total | |
| | area of bone grafting less than 40 sq cm | |
| 21183 | Reconstruction of orbital walls, rims, forehead, nasoethmoid complex | |
| | following intra- and extracranial excision of benign tumor of cranial bone (eg, | |
| | fibrous dysplasia), with multiple autografts (includes obtaining grafts); total | |
| 21104 | area of bone grafting greater than 40 sq cm but less than 80 sq cm | |
| 21184 | Reconstruction of orbital walls, rims, forehead, nasoethmoid complex | |
| | following intra- and extracranial excision of benign tumor of cranial bone (eg, | |
| | fibrous dysplasia), with multiple autografts (includes obtaining grafts); total | |
| 21230 | area of bone grafting greater than 80 sq cm Graft; rib cartilage, autogenous, to face, chin, nose or ear (includes obtaining | |
| 21230 | graft) | |
| 21235 | Graft; ear cartilage, autogenous, to nose or ear (includes obtaining graft) | |
| 21255 | Reconstruction of zygomatic arch and glenoid fossa with bone and cartilage | |
| | (includes obtaining autografts) | |
| 21256 | Reconstruction of orbit with osteotomies (extracranial) and with bone grafts | |
| | (includes obtaining autografts) (eg, micro-ophthalmia) | |
| 21260 | Periorbital osteotomies for orbital hypertelorism, with bone grafts; extracranial | |
| | approach | |
| 21261 | Periorbital osteotomies for orbital hypertelorism, with bone grafts; combined | |
| | intra- and extracranial approach | |
| 21263 | Periorbital osteotomies for orbital hypertelorism, with bone grafts; with | |
| | forehead advancement | |
| 21267 | Orbital repositioning, periorbital osteotomies, unilateral, with bone grafts; | |
| | extracranial approach | |
| 21268 | Orbital repositioning, periorbital osteotomies, unilateral, with bone grafts; | |
| 21253 | combined intra- and extracranial approach | |
| 21270 | Malar augmentation, prosthetic material | |
| 21275 | Secondary revision of orbitocraniofacial reconstruction | |
| 21280 | Medial canthopexy (separate procedure) | |
| 21282 | Lateral canthopexy | |
| 21295 | Reduction of masseter muscle and bone (eg, for treatment of benign masseteric | |
| | hypertrophy); extraoral approach | |



| CPT Codes | Description | | |
|------------------|-------------------------------------------------------------------------------|--|--|
| Codes | | | |
| 21296 | Reduction of masseter muscle and bone (eg, for treatment of benign masseteric | | |
| | hypertrophy); intraoral approach | | |
| 61550 | Craniectomy for craniosynostosis; single cranial suture | | |
| 61552 | Craniectomy for craniosynostosis; multiple cranial sutures | | |
| 61556 | Craniotomy for craniosynostosis; frontal or parietal bone flap | | |
| 61557 | Craniotomy for craniosynostosis; bifrontal bone flap | | |
| 61558 | Extensive craniectomy for multiple cranial suture craniosynostosis (eg, | | |
| | cloverleaf skull); not requiring bone grafts | | |
| 61559 | Extensive craniectomy for multiple cranial suture craniosynostosis (eg, | | |
| | cloverleaf skull); recontouring with multiple osteotomies and bone autografts | | |
| | (e.g., barrel-stave procedure) (includes obtaining grafts) | | |

| HCPCS Codes | Description |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------|
| G0429 | Dermal filler injection(s) for the treatment of facial lipodystrophy syndrome (LDS) as a result of highly active antiretroviral therapy) |
| | as a result of highly active antifetroviral therapy) |
| Q2026 | Injection, Radiesse, 0.1 ml |
| Q2028 | Injection, Sculptra, 0.5 mg |

| Reviews, Revisions, and Approvals | Revision Date | Approval Date |
|-------------------------------------------------------------------------|------------------|------------------|
| Converted corporate to local policy. | 02/2021 | |
| Annual review. Reviewed and updated references. CPT code | 04/2021 | 4/10/2022 |
| description revised in 2021: 19318, 19325, 19328, 19340, 19342, | | |
| 19357, 19361, 19364, 19367, 19368, 19369, 19370, 19371, and | | |
| 19380. CPT 19324 and 19366 deleted in 2021. | | |
| Clarified in I.A.1. failure of conservative therapy "(unless | | |
| conservative therapy is not standard of care for the condition, or is | | |
| contraindicated)." Changed "review date" in the header to "date of last | | |
| revision" and "date" in the revision log header to "revision date." | | |
| Added the following codes from the retired Craniofacial Surgery | | |
| policy; 21120, 21121, 21122, 21123, 21137, 21138, 21139, 21159, | | |
| 21160, 21172, 21175, 21179, 21180, 21181, 21182, 21183, 21184, | | |
| 21230, 21235, 21255, 21256, 21260, 21261, 21263, 21267, 21268, | | |
| 21270, 21275, 21280, 21282, 21295, 21296, and | | |
| craniectomy/craniotomy codes for craniosynostosis. | | |
| Removed section II as it is included in LA.CP.MP.51 (section III). | | |
| Clarified in I.A.4.a. "Post-mastectomy,* medically necessary | | |
| lumpectomy, or other medically necessary breast surgery." Updated | | |
| II.R. "Mastopexy (except for breast reconstruction post-mastectomy, | | |
| medically necessary lumpectomy, other medically necessary breast | | |
| surgery resulting in significant asymmetry). In II.E., changed | | |



| Reviews, Revisions, and Approvals | Revision | Approval |
|---------------------------------------------------------------------|----------|----------|
| | Date | Date |
| "InterQual" to "Decision Support Criteria." Added II.U. "Breast | | |
| reconstruction for fibroadenomas or other benign lesions, unless | | |
| medically necessary per clinical decision support criteria" to not | | |
| medically necessary procedures. Added codes 19330 and 19499. | | |
| Annual review. References reviewed, updated, and reformatted. | | |
| Added to I.A.4.b. "poly-L-lactic acid" and "calcium hydroxylapatite | 12/22 | 2/28/23 |
| microspheres". Minor rewording with no clinical significance. | | |
| References reviewed and updated. Reviewed by external specialist. | | |
| Changed members to members/enrollees. | | |

References

- 1. American Society of Plastic Surgeons. Cosmetic procedures. https://www.plasticsurgery.org/cosmetic-procedures Accessed August 23, 2022.
- 2. American Society of Plastic Surgeons. Reconstructive procedures. https://www.plasticsurgery.org/reconstructive-procedures. Accessed August 23, 2022.
- 3. Memel D. Assessing functional ability is important. Br J Gen Pract. 2008 Dec;58(557):835 to 836. doi: 10.3399/bjgp08X376159. PMID: 19068154; PMCID: PMC2593530.
- 4. DeLong MR, Tandon VJ, Rudkin GH, Da Lio AL. Latissimus Dorsi Flap Breast Reconstruction-A Nationwide Inpatient Sample Review. *Ann Plast Surg.* 2017;78(5 Suppl 4):S185 to S188. doi:10.1097/SAP.000000000001079
- 5. Goldstein BG, Goldstein AO Hong AM. Keloids and hypertrophic scars. UpToDate. www.uptodate.com Updated February 16, 2021. Accessed August23, 2022.
- 6. Razdan SN, Cordeiro PG, Albornoz CR, et al. National Breast Reconstruction Utilization in the Setting of Postmastectomy Radiotherapy. *J Reconstr Microsurg*. 2017;33(5):312 to 317. doi:10.1055/s-0037-1598201
- 7. Ilonzo N, Tsang A, Tsantes S, Estabrook A, Thu Ma AM. Breast reconstruction after mastectomy: A ten-year analysis of trends and immediate postoperative outcomes. *Breast*. 2017;32:7 to 12. doi: 10.1016/j.breast.2016.11.023.
- 8. Farjo B, Farjo N, Williams G. Hair transplantation in burn scar alopecia. *Scars Burn Heal*. 2015;1:2059513115607764. Published 2015 Oct 1. doi:10.1177/2059513115607764
- 9. Oh SJ, Koh SH, Lee JW, Jang YC.. Expanded flap and hair follicle transplantation for reconstruction of postburn scalp alopecia. *J Craniofac Surg.* 2010;21(6):1737 to 1740. doi: 10.1097/SCS.0b013e3181f403cc
- 10. Yoo H, Moh J, Park JU. Treatment of Postsurgical Scalp Scar Deformity Using Follicular Unit Hair Transplantation. *Biomed Res Int.* 2019;2019:3423657. Published 2019 May 13. doi:10.1155/2019/3423657
- 11. Women's Health Care and Cancer Rights Act (WHCRA). Centers of Medicare & Medicaid Services website. https://www.cms.gov/CCIIO/Programs-and-Initiatives/Other-Insurance-Protections/whcra_factsheet. Published 1998. Accessed August 23, 2022.
- 12. Nahabedian M. Complications of reconstructive and aesthetic breast surgery. UpToDate. www.uptodate.com. Updated October 14, 2021. Accessed August 29, 2022.
- 13. Lee BT, Agarwal JP, Ascherman JA, et al. Evidence-Based Clinical Practice Guideline: Autologous Breast Reconstruction with DIEP or Pedicled TRAM Abdominal Flaps. *Plast Reconstr Surg.* 2017;140(5):651e to 664e. doi:10.1097/PRS.0000000000003768



- 14. Glesby MJ. Treatment of HIV-associated lipodystrophy. UpToDate. www.uptodate.com. Updated May 24, 2022. Accessed August 29, 2022.
- 15. Agbai ON. Frontal fibrosing alopecia: management. UpToDate. www.uptodate.com. Updated August 31, 2020. Accessed August 29, 2022.
- 16. Local coverage determination: cosmetic and reconstructive surgery (L33428). Centers for Medicare and Medicaid Services Web site. https://www.cms.gov/medicare-coverage-database/search.aspx Published October 1, 2015 (revised July 29, 2021). Accessed September 2, 2022.
- 17. Carruthers J, Humphrey S. Injectable soft tissue fillers: overview of clinical use. UpToDate. www.uptodate.com. Updated May 10, 2022. Accessed September 7, 2022.

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.



Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

©2020 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademark exclusively owned by Louisiana Healthcare Connections.