

Clinical Policy: Enfortumab Vedotin-ejfv (Padcev)

Reference Number: LA.PHAR.455

Effective Date: 10.25.23 Last Review Date: 05.01.24 Line of Business: Medicaid

Coding Implications
Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Please note: This policy is for medical benefit

Description

Enfortumab vedotin-ejfv (Padcev®) is a Nectin-4-directed antibody and microtubule inhibitor conjugate.

FDA Approved Indication(s)

Padcev is indicated:

- In combination with pembrolizumab for the treatment of adult patients with locally advanced or metastatic urothelial cancer
- As a single agent for the treatment of adult patients with locally advanced or metastatic urothelial cancer who:
 - o have previously received a programmed death receptor-1 (PD-1) or programmed death-ligand 1 (PD-L1) inhibitor, and a platinum-containing chemotherapy, or
 - o are ineligible for cisplatin-containing chemotherapy and have previously received one or more prior lines of therapy

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of Louisiana Healthcare Connections[®] that Padcev is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Urothelial Carcinoma (must meet all):
 - 1. Diagnosis of recurrent, locally advanced, or metastatic (stage IV) urothelial carcinoma;
 - 2. Prescribed by or in consultation with an oncologist or urologist;
 - 3. Age \geq 18 years;
 - 4. One of the following (a or b):
 - a. Prescribed as a single agent, and one of the following (i or ii):
 - i. Failure of both of the following (1 and 2):
 - 1) Platinum-containing chemotherapy (see Appendix B);
 - 2) PD-1 or PD-L1 inhibitor (see Appendix B);
 - ii. Member is ineligible for cisplatin-containing chemotherapy and has previously received one or more prior lines of therapy (see Appendix B);



Enfortumab Vedotin-ejfv

- b. Prescribed in combination with Keytruda®;
- 5. Request meets one of the following (a, b, or c):*
 - a. If prescribed as a single agent: Dose does not exceed 1.25 mg/kg (up to 125 mg) on days 1, 8, and 15 of a 28-day cycle;
 - b. If prescribed in combination with Keytruda: Dose does not exceed 1.25 mg/kg (up to 125 mg) on days 1 and 8 of a 21-day cycle;
 - c. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration: 6 months

B. Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to LA.PMN.255
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: LA.PMN.53 for Medicaid.

II. Continued Therapy

A. Urothelial Carcinoma (must meet all):

- 1. Currently receiving medication via Louisiana Healthcare Connections benefit, or documentation supports that member is currently receiving Padcev for a covered indication and has received this medication for at least 28 days;
- 2. Member is responding positively to therapy;
- 3. If request is for a dose increase, request meets one of the following (a, b, or c):*
 - a. If prescribed as a single agent: New dose does not exceed 1.25 mg/kg (up to 125 mg) on days 1, 8 and 15 of a 28-day cycle;
 - b. If prescribed in combination with Keytruda: New dose does not exceed 1.25 mg/kg (up to 125 mg) on days 1 and 8 of a 21-day cycle;
 - c. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration: 12 months

B. Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to LA.PMN.255
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: LA.PMN.53 for Medicaid.



CLINICAL POLICY Enfortumab Vedotin-ejfv

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – LA.PMN.53 for Medicaid, or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

FDA: Food and Drug Administration NCCN: National Comprehensive Cancer

PD-1: programmed death receptor-1 Network

PD-L1: programmed death-ligand

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval

criteria. The drugs listed here may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose			
Examples of platinum-containing regimens					
DDMVAC (dose-dense methotrexate, vinblastine, doxorubicin, and cisplatin)	Varies	Varies			
gemcitabine with either cisplatin or carboplatin	Varies	Varies			
Examples of PD-1 inhibitors					
Keytruda® (pembrolizumab)	Varies	Varies			
Opdivo® (nivolumab)	Varies	Varies			
Examples of PD-L1 inhibitor	rs ·				
Tecentriq® (atezolizumab)	Varies	Varies			
Imfinzi [®] (durvalumab)	10 mg/kg IV infusion every 2 weeks	Varies			
Bavencio® (avelumab)	800 mg IV infusion once every 2 weeks	Varies			
Other recommended regimen	18				
gemcitabine	Varies	Varies			
gemcitabine and paclitaxel	Varies	Varies			
ifosfamide, doxorubicin, gemcitabine	Varies	Varies			

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): none reported
- Boxed warning(s): serious skin reactions



Enfortumab Vedotin-ejfv

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
Urothelial	As a single agent: 1.25 mg/kg (up to a maximum dose of	See dosing
cancer	125 mg) given as an IV infusion over 30 minutes on	regimen
	Days 1, 8 and 15 of a 28-day cycle until disease	
	progression or unacceptable toxicity	
	In combination with Keytruda: 1.25 mg/kg (up to a	
	maximum dose of 125 mg) given as an IV infusion over	
	30 minutes on Days 1 and 8 of a 21-day cycle until	
	disease progression or unacceptable toxicity	

VI. Product Availability

Single-dose vial for injection: 20 mg, 30 mg

VII. References

- 1. Padcev Prescribing Information. Northbrook, IL: Astellas Pharma US, Inc; December 2023. Available at: https://www.padcev.com. Accessed December 27, 2023.
- 2. National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: http://www.nccn.org/professionals/drug_compendium. Accessed December 27, 2023.
- 3. National Comprehensive Cancer Network. Bladder Cancer Version 3.2023. Available at: https://www.nccn.org/professionals/physician_gls/pdf/bladder.pdf. Accessed December 27, 2023.
- 4. Micromedex® Healthcare Series [Internet database]. Greenwood Village, Colo: Thomson Healthcare. Updated periodically. Accessed December 27, 2023.

Coding Implications

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS Codes	Description
J9177	Injection, enfortumab vedotin-ejfv, 0.25 mg

Reviews, Revisions, and Approvals	Date	LDH Approval Date
Policy created.	05.01.23	09.25.23
Annual review: for urothelial cancer in combination with Keytruda, updated FDA-approved indication to full approval and removed requirement for cisplatin ineligibility per updated PI.	05.01.24	

Important Reminder



Enfortumab Vedotin-ejfv

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. LHCC makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable LHCC administrative policies and procedures.

This clinical policy is effective as of the date determined by LHCC. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. LHCC retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom LHCC has no control or right of control. Providers are not agents or employees of LHCC.

This clinical policy is the property of LHCC. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.



Enfortumab Vedotin-ejfv

©2024 Louisiana Healthcare Connections. All rights reserved. All materials are exclusively owned by Louisiana Healthcare Connections and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Louisiana Healthcare Connections. You may not alter or remove any trademark, copyright or other notice contained herein. Louisiana Healthcare Connections is a registered trademark exclusively owned by Louisiana Healthcare Connections.