

## **Clinical Policy: Pasireotide (Signifor, Signifor LAR)**

Reference Number: CP.PHAR.332

Effective Date: 03.01.17 Last Review Date: 11.18

Line of Business: Commercial, HIM\*, Medicaid

Coding Implications
Revision Log

## See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

## **Description**

Pasireotide (Signifor®, Signifor® LAR) is a somatostatin analog.

### FDA Approved Indication(s)

Signifor is indicated for the treatment of adult patients with Cushing's disease for whom pituitary surgery is not an option or has not been curative.

Signifor LAR is indicated for the treatment of:

- Patients with acromegaly who have had an inadequate response to surgery and/or for whom surgery is not an option
- Patients with Cushing's disease for whom pituitary surgery is not an option or has not been curative

#### Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Signifor and Signifor LAR are **medically necessary** when the following criteria are met:

#### I. Initial Approval Criteria

- **A.** Acromegaly (must meet all):
  - 1. Diagnosis of acromegaly;
  - 2. Prescribed by or in consultation with an endocrinologist;
  - 3. Age  $\geq$  18 years;
  - 4. Request is for Signifor LAR;
  - 5. Inadequate response to surgical resection or pituitary irradiation (*see Appendix D*), or member is not a candidate for such treatment;
  - 6. Dose does not exceed 60 mg every 4 weeks (1 vial every 4 weeks).

#### **Approval duration:**

**Medicaid** – 3 months

**HIM** – refer to HIM.PA.103 for Signifor LAR

Commercial – 6 months or to the member's renewal date, whichever is longer

<sup>\*</sup>For Health Insurance Marketplace (HIM), Signifor LAR is non-formulary and cannot be approved using these criteria; refer to the formulary exception policy, HIM.PA.103.



#### **B.** Cushing's Disease (must meet all):

- 1. Diagnosis of Cushing's disease;
- 2. Prescribed by or in consultation with an endocrinologist;
- 3. Age  $\geq$  18 years;
- 4. Member meets one of the following (a or b):
  - a. Pituitary surgery was not curative;
  - b. Ineligible for pituitary surgery;
- 5. Dose does not exceed one of the following (a or b):
  - a. Signifor: 1.8 mg per day (2 ampules per day);
  - b. Signifor LAR: 40 mg every 4 weeks (1 vial every 4 weeks).

## **Approval duration:**

**Medicaid** – 6 months

**HIM** – 6 months for Signifor (refer to HIM.PA.103 for Signifor LAR)

Commercial – 6 months or to the member's renewal date, whichever is longer

## C. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

#### **II. Continued Therapy**

## A. Acromegaly (must meet all):

- 1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
- 2. Member is responding positively to therapy (see Appendix D);
- 3. Request is for Signifor LAR;
- 4. If request is for a dose increase, new dose does not exceed 60 mg every 4 weeks (1 vial every 4 weeks).

#### **Approval duration:**

**Medicaid** – 12 months

**HIM** – refer to HIM.PA.103 for Signifor LAR

Commercial – 6 months or to the member's renewal date, whichever is longer

#### **B.** Cushing's Disease (must meet all):

- 1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
- 2. Member is responding positively to therapy (see Appendix D);
- 3. If request is for a dose increase, new dose does not exceed one of the following:
  - a. Signifor: 1.8 mg per day (2 ampules per day);
  - b. Signifor LAR: 40 mg every 4 weeks (1 vial every 4 weeks).

## **Approval duration:**

**Medicaid** – 12 months

**HIM** – 12 months for Signifor (refer to HIM.PA.103 for Signifor LAR)

Commercial – 6 months or to the member's renewal date, whichever is longer



#### **C.** Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 6 months (whichever is less); or

2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

#### III. Diagnoses/Indications for which coverage is NOT authorized:

**A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

### IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives

Not applicable

Appendix C: Contraindications/Boxed Warnings

None reported

#### Appendix D: General Information

- Treatment response for Cushing's disease may be defined as reduction in 24-hour urinary free cortisol (UFC) levels and/or improvement in signs or symptoms of the disease. Maximum urinary free cortisol reduction is typically seen by two months of treatment.
- Examples of treatment response to acromegaly therapy (including somatostatin analogs, surgical resection or pituitary irradiation) include improvement from baseline in or normalization of growth hormone (GH) and/or age- and sex-adjusted insulin-like growth factor (IGF-1) serum concentrations, or tumor mass control.

#### V. Dosage and Administration

Drug Name	Indication	<b>Dosing Regimen</b>	Maximum Dose
Pasireotide	Cushing's disease	Initial: 0.6 mg or 0.9	1.8 mg/day
(Signifor)		mg SC BID	
		Recommended	
		dosing range: 0.3 mg	
		to 0.9 mg SC BID	
Pasireotide (Signifor	Cushing's disease	10 mg to 40 mg IM	40 mg/4 weeks
LAR)*		every 4 weeks	
Pasireotide (Signifor	Acromegaly	40 mg to 60 mg IM	60 mg/4 weeks
LAR)*		every 4 weeks	



\*Signifor LAR must be administered by a healthcare professional

### VI. Product Availability

Drug Name	Availability
Pasireotide (Signifor)	Single-dose ampules for injection: 0.3 mg/mL, 0.6 mg/mL,
	0.9 mg/mL
Pasireotide (Signifor LAR)	Vial for reconstitution and injection: 10 mg, 20 mg, 30 mg,
_	40 mg, 60 mg

#### VII. References

- 1. Signifor Prescribing Information. East Hanover, NJ: Novartis Pharmaceuticals Corporation; March 2018. Available at:
  - https://www.pharma.us.novartis.com/sites/www.pharma.us.novartis.com/files/signifor.pdf?sit e=PC. Accessed August 14, 2018.
- 2. Signifor LAR Prescribing Information. East Hanover, NJ: Novartis Pharmaceuticals Corporation; June 2018. Available at <a href="https://www.pharma.us.novartis.com/sites/www.pharma.us.novartis.com/files/signifor\_lar.pdf">https://www.pharma.us.novartis.com/sites/www.pharma.us.novartis.com/files/signifor\_lar.pdf</a>. Accessed August 14, 2018.
- 3. Katznelson L, Laws ER, Melmed S, et al. Acromegaly: an Endocrine Society clinical practice guideline. J Clin Endocrinol Metab. 2014; 99(11): 3933-3951.
- 4. Melmed S, Colao A, Barkan A, et al. Guidelines for acromegaly management: An update. J Clin Endocrinol Metab. 2009; 94:1509–1517.
- 5. Katznelson L, Atkinson JLD, Cook DM, Ezzat SZ, Hamrahian AH, Miller KK. American Association of Clinical Endocrinologists medical guidelines for clinical practice for the diagnosis and treatment of acromegaly 2011 update. Endocrine Practice. 2011;17(Suppl 4).

#### **Coding Implications**

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS	Description
Codes	
J2402	Injection, pasireotide long acting, 1 mg

Reviews, Revisions, and Approvals	Date	P&T
		Approval
		Date
Policy split from CP.PHAR.183.Excellus Other Specialty	02.01.17	03.17
Pharmacy. Initial therapy: "In consultation with" is added to		(Specialist
"prescribed by an endocrinologist." "Epiphyseal growth plates		reviewed
have closed" is added to "age ≥ 18 years." Definition of full		02.17)
biochemical control is updated per the 2014 Endocrine Society		
guidelines and includes a tightening of random GH levels from <		
2.5 ng/mL to < 1.0 ng/mL. <sup>2</sup> Hepatic impairment restriction is added		
per PI. Dosing follows PI recommendations. Continued therapy:		



Reviews, Revisions, and Approvals	Date	P&T Approval Date
Demonstrated response does not include surgery outcomes, is not required until after 12 months of therapy, and is limited to any degree of improvement in biochemical control. Response criteria related to clinical features or comorbidities are not included as GH		
excess may be relatively asymptomatic.  Updated references and new template. Changed initial approval duration from 3 to 6 months	08.20.17	11.17
4Q 2018 annual review: policy combined with commercial policy CP.CPA.152 and HIM policy HIM.PA.SP54; Signifor added to policy; criteria added for new FDA indication for Signifor LAR: Cushing's disease; new strengths of Signifor LAR added; specialist requirement was added for commercial; age requirement was added for commercial; trial of octreotide or lanreotide for acromegaly removed for Medicaid; requirement for inadequate response to surgery or pituitary irradiation added for acromegaly; initial approval duration for acromegaly for Medicaid revised to 3 months to allow for dose adjustment; specific requirements for positive response to therapy for acromegaly moved to appendix for Medicaid; simplified max dose requirement for Signifor LAR for Medicaid; references reviewed and updated.	08.14.18	11.18

#### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.



This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

#### Note:

**For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

**For Health Insurance Marketplace members**, when applicable, this policy applies only when the prescribed agent is on your health plan approved formulary. Request for non-formulary drugs must be reviewed using the non-formulary policy; HIM.PA.103.

©2017 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation. To compose the composition of the composition