

## **Clinical Policy: Vestronidase alfa-vjbk (Mepsevii)**

Reference Number: CP.PHAR.374

Effective Date: 01.09.18

Last Review Date: 05.18

Line of Business: Commercial, Medicaid

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

### **Description**

Vestronidase alfa-vjbk (Mepsevii<sup>™</sup>) is a recombinant human lysosomal beta glucuronidase enzyme replacement therapy.

### **FDA Approved Indication(s)**

Mepsevii is indicated in pediatric and adult patients for the treatment of Mucopolysaccharidosis VII (MPS VII, Sly syndrome).

Limitation(s) of use: The effect of Mepsevii on the central nervous system manifestations of MPS VII has not been determined.

### **Policy/Criteria**

Provider must submit documentation (which may include office chart notes and lab results) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Mepsevii is **medically necessary** when the following criteria are met:

#### **I. Initial Approval Criteria**

##### **A. Mucopolysaccharidosis VII: Sly Syndrome (must meet all):**

1. Diagnosis of MPS VII (Sly syndrome) confirmed by one of the following (a or b):
  - a. Two repeated enzyme assay tests demonstrating a deficiency of beta-glucuronidase;
  - b. One DNA testing showing *GUSB* gene mutation;
2. Apparent clinical signs of lysosomal storage disease including at least one of the following (a, b, c, or d):
  - a. Enlarged liver and spleen;
  - b. Joint limitations;
  - c. Airway obstruction or pulmonary problems;
  - d. Limitations of mobility;
3. Prescribed by or in consultation with a specialist with expertise in lysosomal storage diseases (e.g., pediatric endocrinologist, pediatric geneticist);
4. Dose does not exceed 4 mg/kg IV every 2 weeks.

**Approval duration: 6 months**

##### **B. Other diagnoses/indications**

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial and CP.PMN.53 for Medicaid.

## II. Continued Therapy

### A. Mucopolysaccharidosis VII: Sly Syndrome (must meet all):

1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
2. Member is responding positively to therapy (*see Appendix C for examples*);
3. If request is for a dose increase, new dose does not exceed 4 mg/kg IV every 2 weeks.

**Approval duration: 12 months**

### B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.  
**Approval duration: Duration of request or 6 months (whichever is less);** or
2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial and CP.PMN.53 for Medicaid.

## III. Diagnoses/Indications for which coverage is NOT authorized:

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial and CP.PMN.53 for Medicaid or evidence of coverage documents.

## IV. Appendices/General Information

### *Appendix A: Abbreviation/Acronym Key*

FDA: Food and Drug Administration  
MPS VII: Mucopolysaccharidosis VII

### *Appendix B: Therapeutic Alternatives*

Not applicable

### *Appendix C: General Information*

- The presenting symptoms and clinical course of MPS VII can vary from one individual to another. Some examples, however, of improvement in MPS VII disease as a result of Mepsevii therapy may include improvement in:
  - 6-minute walking distance
  - Breathing difficulties
  - Muscle weakness
  - Vision or hearing problems
  - Hepatomegaly or splenomegaly
  - Reduction of total urinary glycosaminoglycan (uGAG) excretion
  - Stair climbing capacity as measured by the 3 Minute Stair Climb Test

- Height and weight growth velocity compared to estimated pretreatment growth rate velocity from medical records for pediatric patients
- In individuals with MPS, the circulation of fluid through the blood-brain barrier may become blocked, which can lead to hydrocephalus and cortical atrophy. Seizures are a complication most common among individuals with severe forms of MPS. The clinical benefit on this central nervous system manifestation with treatment of Mepsevii has not yet been determined.

**V. Dosage and Administration**

Indication	Dosing Regimen	Maximum Dose
MPS VII (Sly syndrome)	4 mg/kg IV every 2 weeks	4 mg/kg/2 weeks

**VI. Product Availability**

Single-dose vial: 10 mg/5 mL

**VII. References**

1. Mepsevii Prescribing Information. Novato, CA: Ultragenyx Pharmaceutical Inc.; November 2017. Available at: [www.mepsevii.com](http://www.mepsevii.com). Accessed December 14, 2017.

**Coding Implications**

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS Codes	Description
TBD	Injection, bestronidase alfa-vj bk, 10 mg

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	01.09.18	05.18

**Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

**Note:**

**For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation<sup>®</sup> are registered trademarks exclusively owned by Centene Corporation.